

Surface Pumps

Peripheral Pumps	7
PK, PM, PKS, PQ, PV, PQA	
Centrifugal Pumps	9
CP, CP-ST, 2CP, HF,	
Centrifugal Pumps with Open Impeller	12
NGA, NGA-PRO	
Standardised Centrifugal Pumps	13
F, F-INOX, F4, FG	
Horizontal Multi-Stage Pumps	18
CR, FCR	
Vertical Multi-Stage Pumps	20
HT, DPV	
In-Line-Closed-Coupled Centrifugal Pumps	22
HT, DPV	
Self-Priming	28
CK, CKR, JSW, Sprinkler, CAB, Future Jet, Plurijet	
Swimming Pool Pumps	31
Prima, Magnifica, Villabella & Maxima	


PK



Pumps with Peripheral Impeller

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	▲	POWER		PERFORMANCE	
							P ₂ kW	HP	Q L/min	H m
Single-Phase		£	Three-Phase		£					
PKm 60°	2100010	179.00	PK 60°	2100100	217.00	IE2	0.37	0.50	5 ÷ 40	38 ÷ 5
PKm 65	2100030	242.00	PK 65	2100120	273.00		0.50	0.70	5 ÷ 50	50 ÷ 8
PKm 80	2100050	375.00	PK 80	2100140	410.00	IE3	0.75	1	5 ÷ 50	66 ÷ 22
PKm 90	2100060	438.00	PK 90	2100150	477.00		0.75	1	5 ÷ 40	82 ÷ 5
PKm 100	2100070	631.00	PK 100	2100160	648.00		1.1	1.5	5 ÷ 70	80 ÷ 15
PKm 200	2100080	687.00	PK 200	2100170	705.00		1.5	2	5 ÷ 80	86 ÷ 10
PKm 300	2100090	736.00	PK 300	2100180	736.00		2.2	3	5 ÷ 90	95 ÷ 10

- Pump body: cast iron; Impeller: brass; Three phase pumps are equipped with high efficiency motors, IE2 class up to 1.1 kW and IE3 class from 1.5 to 2.2 kW (IEC 60034-30-1)

PM



Pumps with Peripheral Impeller (Bronze)

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	▲	POWER		PERFORMANCE	
							P ₂ kW	HP	Q L/min	H m
Single-Phase		£	Three-Phase		£					
PM45 BR	2100190	347.00	PMT45 BR	2100200	347.00		0.37	0.5	5 ÷ 35	35 ÷ 9


PKS



Self-Priming Pumps with Peripheral Impeller

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	▲	POWER		PERFORMANCE	
							P ₂ kW	HP	Q L/min	H m
Single-Phase		£	Three-Phase		£					
PKSm 60	2100210	249.00	PKS 60	2100250	321.00	IE2	0.37	0.50	5 ÷ 40	38 ÷ 5
PKSm 65	2100220	351.00	PKS 65	2100260	393.00		0.50	0.70	5 ÷ 50	50 ÷ 8
PKSm 80	2100240	463.00	PKS 80	2100280	506.00	IE3	0.75	1	5 ÷ 50	66 ÷ 22

- Pump body: cast iron; Impeller: brass; Check valve: built in

PQ



Pumps with Peripheral Impeller

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	▲	POWER		PERFORMANCE	
							P ₂ kW	HP	Q L/min	H m
Single-Phase		£	Three-Phase		£					
PQm 60°	2100290	189.00	PQ 60°	2100380	229.00	IE2	0.37	0.50	5 ÷ 40	38 ÷ 5
PQm 61	2100295	215.00	PQ 61	2100385	259.00		0.37	0.50	5 ÷ 40.5	38 ÷ 5
PQm 65	2100300	255.00	PQ 65	2100390	296.00	IE3	0.50	0.70	5 ÷ 50	50 ÷ 8
PQm 80	2100320	396.00	PQ 80	2100410	433.00		0.75	1	5 ÷ 50	66 ÷ 22
PQm 90	2100330	462.00	PQ 90	2100420	503.00		0.75	1	5 ÷ 40	82 ÷ 5
PQm 100	2100340	666.00	PQ 100	2100430	684.00		1.1	1.5	5 ÷ 70	80 ÷ 15
PQm 200	2100350	725.00	PQ 200	2100440	744.00		1.5	2	5 ÷ 80	86 ÷ 10
PQm 300	2100360	777.00	PQ 300	2100450	777.00		2.2	3	5 ÷ 90	95 ÷ 10
PQm 81 - PPS	2112460	585.00	PQ 81 - PPS	2112470	623.00		-	0.55	0.75	2 ÷ 22

- Pump body: cast iron; Impeller: brass; Three phase pumps are equipped with high efficiency motors IE2 class up to 1.1 kW and IE3 class from 1.5 to 2.2 kW (IEC 600034-30-1)
- PPS - Pump body: PPS technopolymer with threaded brass inserts Impeller: brass

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

PQ



Pumps with Peripheral Impeller

MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
			P ₂		Q	H
Three-Phase		£	kW	HP	L/min	m
PQ 3000 MF	2100470	1833.00	2.2	3	5 ÷ 50	180 ÷ 50

- Pump body: AISI 316 stainless steel
- Impeller: bronze
- Pumps are equipped with IE3 (IEC 60034-30-1) class high efficiency motors
- Protection: IP X5

PQ-Bs



Pumps with Peripheral Impeller & Brass Pump Body

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
Single-Phase		£	Three-Phase		£	P ₂		Q	H
						kW	HP	L/min	m
PQm 60-Bs	2100480	422.00	PQ 60-Bs	2100510	460.00	0.37	0.50	5 ÷ 40	38 ÷ 5
PQm 65-Bs	2100490	590.00	PQ 65-Bs	2100520	627.00	0.50	0.70	5 ÷ 40	50 ÷ 8
PQm 81-Bs	2100500	595.00	PQ 81-Bs	2100530	630.00	0.50	0.70	2 ÷ 18	80 ÷ 10

- Pump body: brass
- Impeller: brass

PV



Pumps with Peripheral Impeller & Brass Pump Body

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
Single-Phase		£	Three-Phase		£	P ₂		Q	H
						kW	HP	L/min	m
PVm 55	2100540	370.00	PV 55	2100600	407.00	0.18	0.25	2 ÷ 10	38 ÷ 5*
PVm 60	2100550	564.00	PV 60	2100610	598.00	0.37	0.50	5 ÷ 32	35 ÷ 8
PVm 81	2100560	648.00	PV 81	2100620	682.00	0.37	0.50	2 ÷ 18	84 ÷ 5
PVm 65	2100570	593.00	PV 65	2100630	629.00	0.55	0.75	5 ÷ 43	55 ÷ 5
PVm 70	2100580	676.00	PV 70	2100640	714.00	0.75	1	5 ÷ 45	70 ÷ 5
PVm 90	2100590	723.00	PV 90	2100650	759.00	0.75	1	5 ÷ 35	90 ÷ 5

- * The Pvm55 and PV55 pumps are designed to work at both 50 and 60 Hz with H=46÷10 metres
- Pump body: brass
 - Impeller: brass

PQA



Pumps with Peripheral Impeller

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
Single-Phase		£	Three-Phase		£	P ₂		Q	H
						kW	HP	L/min	m
PQAm 60	2100670	364.00	PQA 60	2100720	420.00	0.37	0.50	5 ÷ 32	38 ÷ 5
PQAm 70	2100680	611.00	PQA 70	2100730	650.00	0.55	0.75	2 ÷ 45	62 ÷ 8
PQAm 90	2100700	614.00	PQA 90	2100750	653.00	0.75	1	2 ÷ 38	86 ÷ 5

- Pump body: Ryton
- Impeller: brass
- Front pump body cover: brass

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

CP



Centrifugal Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	*	POWER		▲	PERFORMANCE	
							P ₂			Q	H
Single-Phase		£	Three-Phase		£		kW	HP		L/min	m
CPm 100	2100760	289.00	CP 100	2100890	331.00	1	0.25	0.33	IE2	10 ÷ 60	15 ÷ 7
CPm 130	2100770	311.00	CP 130	2100900	348.00		0.37	0.50		10 ÷ 80	22 ÷ 14
CPm 132	2100780	331.00	CP 132	2100910	372.00		0.55	0.75		20 ÷ 120	22.5 ÷ 12
CPm 150	2100790	407.00	CP 150	2100920	425.00		0.75	1		20 ÷ 120	29 ÷ 15
CPm 158	2100800	407.00	CP 158 [®]	2100930	425.00		0.75	1		10 ÷ 90	34 ÷ 25
CPm 170	2100810	688.00	CP 170	2100940	709.00	1	1.1	1.5		30 ÷ 120	38 ÷ 22
CPm 170M	2100820	688.00	CP 170M	2100950	709.00		1.1	1.5		30 ÷ 160	35 ÷ 19
CPm 190	2100830	807.00	CP 190	2100960	807.00		1.5	2		30 ÷ 140	46 ÷ 26
CPm 200	2100840	851.00	CP 200	2100970	851.00		2.2	3		30 ÷ 150	55 ÷ 36
CPm 160C	2100850	725.00	CP 160C	2100980	744.00		1.5	2		50 ÷ 200	31 ÷ 20
CPm 160B	2100860	768.00	CP 160B	2100990	788.00	2	1.5	2	IE3	50 ÷ 220	36 ÷ 23
CPm 160A	2112480	851.00	CP 160A	2101000	831.00		2.2	3		50 ÷ 240	42 ÷ 26
-	-	-	CP 210B	2101020	1545.00		3	4		50 ÷ 270	53 ÷ 34
-	-	-	CP 210A	2101030	1624.00		4	5.5		50 ÷ 280	61 ÷ 40
CPm 220C	2100880	1487.00	CP 220C	2101040	1343.00		2.2	3		50 ÷ 450	31.5 ÷ 21
-	-	-	CP 220B	2101050	1622.00	2	3	4		50 ÷ 450	37.5 ÷ 25
-	-	-	CP 220A	2101060	1674.00		4	5.5		50 ÷ 450	48.5 ÷ 36
-	-	-	CP 220AH	2101070	1802.00		5.5	7.5		50 ÷ 450	51.5 ÷ 42
-	-	-	CP 230C	2101080	1633.00		3	4		100 ÷ 850	29.5 ÷ 9
-	-	-	CP 230B	2101090	1674.00		4	5.5		100 ÷ 900	38.5 ÷ 13
-	-	-	CP 230A	2101100	1802.00	2	5.5	7.5		100 ÷ 900	45.5 ÷ 15
-	-	-	CP 250B	2101110	2392.00		7.5	10		100 ÷ 800	58 ÷ 31
-	-	-	CP 250A	2101120	3741.00		11	15		100 ÷ 900	76 ÷ 45

- Pump body: cast iron
- * Impeller: 1=AISI 304 stainless steel; 2=brass; 3=cast iron
- ▲ Three phase motor efficiency class (IEC 60034-30-1)
- Protection: IP X5 for CP 220, CP 230, CP 250

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%

Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

CP-ST



Stainless Steel Centrifugal Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂			Q	H
Single-Phase		£	Three-Phase		£	kW	HP		L/min	m
CPm 100-ST4	2101140	466.00	CP 100-ST4	2101240	502.00	0.25	0.33	IE2	10 ÷ 90	15.5 ÷ 6.5
CPm 130-ST4	2101150	483.00	CP 130-ST4	2101250	521.00	0.37	0.50		10 ÷ 100	21.5 ÷ 9
CPm 132-ST4	2101160	500.00	CP 132-ST4	2101260	537.00	0.55	0.75		20 ÷ 120	23 ÷ 12
CPm 150-ST4	2101170	575.00	CP 150-ST4	2101270	586.00	0.75	1		20 ÷ 150	31 ÷ 14
CPm 158-ST4	2101180	575.00	CP 158-ST4	2101280	586.00	0.75	1	IE3	10 ÷ 120	35.5 ÷ 19
CPm 170-ST4	2101190	804.00	CP 170-ST4	2101290	826.00	1.1	1.5		10 ÷ 140	40 ÷ 20
CPm 170M-ST4	2101200	803.00	CP 170M-ST4	2101300	824.00	1.1	1.5		20 ÷ 160	35.5 ÷ 19
CPm 180-ST4	2101210	818.00	CP 180-ST4	2101310	848.00	1.1	1.5		40 ÷ 230	30 ÷ 13
CPm 190-ST4	2101220	843.00	CP 190-ST4	2101320	843.00	1.5	2		40 ÷ 250	35 ÷ 16
CPm 200-ST4	2101230	922.00	CP 200-ST4	2101330	922.00	2.2	3		40 ÷ 270	43 ÷ 20

- Pump body: **AISI 304 stainless steel**
- Impeller: **AISI 304 stainless steel**
- Shaft: **AISI 431 stainless steel**

CPm 100-ST6	2101340	553.00	CP 100-ST6	2101440	594.00	0.25	0.33	IE2	10 ÷ 90	15.5 ÷ 6.5
CPm 130-ST6	2101350	570.00	CP 130-ST6	2101450	609.00	0.37	0.50		10 ÷ 100	21.5 ÷ 9
CPm 132-ST6	2101360	595.00	CP 132-ST6	2101460	640.00	0.55	0.75		20 ÷ 120	23 ÷ 12
CPm 150-ST6	2101370	817.00	CP 150-ST6	2101470	830.00	0.75	1		20 ÷ 150	31 ÷ 14
CPm 158-ST6	2101380	817.00	CP 158-ST6	2101480	830.00	0.75	1	IE3	10 ÷ 120	35.5 ÷ 19
CPm 170-ST6	2101390	1056.00	CP 170-ST6	2101490	1080.00	1.1	1.5		10 ÷ 140	40 ÷ 20
CPm 170M-ST6	2101400	1046.00	CP 170M-ST6	2101500	1070.00	1.1	1.5		20 ÷ 160	35.5 ÷ 19
CPm 180-ST6	2101410	1069.00	CP 180-ST6	2101510	1095.00	1.1	1.5		40 ÷ 230	30 ÷ 13
CPm 190-ST6	2101420	1098.00	CP 190-ST6	2101520	1124.00	1.5	2		40 ÷ 250	35 ÷ 16
CPm 200-ST6	2101430	1197.00	CP 200-ST6	2101530	1197.00	2.2	3		40 ÷ 270	43 ÷ 20

- Pump body: **AISI 316L stainless steel**
- Impeller: **AISI 316L stainless steel**
- Shaft: **AISI 316L stainless steel**
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

2CP



Centrifugal Twin-Impeller Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE		
						P ₂			Q	H	
Single-Phase		£	Three-Phase		£	* kW	HP		L/min	m	
2CPm 25/130	2101540	522.00	2CP 25/130	2101600	542.00	1	0.75	1	IE3	20 ÷ 100	39 ÷ 15
2CPm 25/14B	2101550	827.00	2CP 25/14B	2101610	848.00	2	1.1	1.5		20 ÷ 100	52 ÷ 22
2CPm 25/14A	2101560	950.00	2CP 25/14A	2101620	950.00		1.5	2	20 ÷ 100	65 ÷ 32	
2CPm 25/16C	2101570	827.00	2CP 25/16C	2101630	848.00	2	1.1	1.5	20 ÷ 120	46 ÷ 24	
2CPm 25/16B	2101580	950.00	2CP 25/16B	2101640	950.00		1.5	2	20 ÷ 140	56 ÷ 30	
2CPm 25/16A	2101590	1078.00	2CP 25/16A	2101650	1006.00	2.2	3	20 ÷ 160	67 ÷ 32		
-	-	-	2CP 32/200C	2101660	1735.00	2	3	4	40 ÷ 250	66.5 ÷ 36	
-	-	-	2CP 32/200B	2101670	1788.00		4	5.5	40 ÷ 250	81 ÷ 49	
-	-	-	2CP 32/210B	2101680	2050.00	2	5.5	7.5	40 ÷ 250	94 ÷ 56	
-	-	-	2CP 32/210A	2101690	2180.00		7.5	10	40 ÷ 250	111 ÷ 74	
-	-	-	2CP 40/180C	2101700	1959.00	2	4	5.5	100 ÷ 350	62 ÷ 35	
-	-	-	2CP 40/180B	2101710	2068.00		5.5	7.5	100 ÷ 400	73 ÷ 46	
-	-	-	2CP 40/180A	2101720	2219.00	2	7.5	10	100 ÷ 400	85 ÷ 60	
-	-	-	2CP 40/200B	2101730	3691.00		9.2	12.5	100 ÷ 450	94 ÷ 61	
-	-	-	2CP 40/200A	2101740	3750.00	11	15	100 ÷ 450	102 ÷ 69		

- Pump body: **cast iron**
- * Impeller: 1=AISI 304 stainless steel; 2=cast iron
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

110V available on smaller models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

HF



Centrifugal Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂			Q	H
Single-Phase		£	Three-Phase		£	kW	HP		L/min	m
HFm 50B	2101750	394.00	HF 50B	2101850	433.00	0.37	0.50	IE2	50 ÷ 300	10 ÷ 4
HFm 50A	2101760	407.00	HF 50A	2101860	453.00	0.55	0.75		50 ÷ 300	12 ÷ 6
HFm 51B	2101770	470.00	HF 51B	2101870	492.00	0.60	0.85		50 ÷ 300	17.2 ÷ 5.4
HFm 51A	2101780	492.00	HF 51A	2101880	514.00	0.75	1		50 ÷ 300	20.2 ÷ 8.4
HFm 70C	2101790	799.00	HF 70C	2101890	847.00	1.1	1.5		50 ÷ 300	28 ÷ 15
HFm 70B	2101800	840.00	HF 70B	2101900	869.00	1.5	2	IE3	50 ÷ 300	32 ÷ 19
-	-	-	HF 70A	2101910	925.00	2.2	3		50 ÷ 300	38 ÷ 25
HFm 5B	2101810	518.00	HF 5B	2101920	540.00	0.75	1		100 ÷ 500	13.2 ÷ 5
HFm 5A	2101820	551.00	HF 5A	2101930	570.00	1.1	1.5		100 ÷ 600	13.8 ÷ 3
HFm 5BM	2101830	788.00	HF 5BM	2101940	807.00	1.1	1.5		100 ÷ 600	18.5 ÷ 6
HFm 5AM	2101840	829.00	HF 5AM	2101950	847.00	1.5	2		100 ÷ 600	21.5 ÷ 10
HFm 5ARM	2101845	906.00	HF 5ARM	2101955	906.00	2.2	3		100 ÷ 700	23 ÷ 10

- Pump body: cast iron
- Impeller: brass
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

HF



Centrifugal Pumps (Transfer Pumps)

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE		
						P ₂			Q	H	
Single-Phase		£	Three-Phase		£	* kW	HP		L/min	m	
HFm 4	2101960	511.00	HF 4	2102000	551.00	1	0.75	1	IE3	200 ÷ 800	9.3 ÷ 3
HFm 6C	2101970	906.00	HF 6C	2102010	943.00	1	1.1	1.5		200 ÷ 1000	11.7 ÷ 3
HFm 6B	2101980	943.00	HF 6B	2102020	984.00		1.5	2		200 ÷ 1100	14.5 ÷ 5
HFm 6A	2101990	1084.00	HF 6A	2102030	1043.00	2.2	3	200 ÷ 1200		18.1 ÷ 6	
-	-	-	HF 8B	2102040	1613.00	1	3	4		200 ÷ 1200	21 ÷ 9
-	-	-	HF 8A	2102050	1695.00		4	5.5		200 ÷ 1200	24 ÷ 13
-	-	-	HF 20B	2102060	1695.00	2	3	4		400 ÷ 1600	19 ÷ 8
-	-	-	HF 20A	2102070	1754.00		4	5.5		400 ÷ 1800	21.5 ÷ 6
-	-	-	HF 30B	2102080	1968.00	2	5.5	7.5		600 ÷ 2000	18 ÷ 13
-	-	-	HF 30A	2102090	2087.00		7.5	10		600 ÷ 2200	23 ÷ 18

- Pump body: cast iron
- * Impeller: 1=brass; 2=cast iron
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

NGA



Centrifugal Pumps with Open Impeller

MODEL	STOCK CODE	PRICE £	MODEL	STOCK CODE	PRICE £	POWER P ₂		PERFORMANCE	
						kW	HP	Q L/min	H m
Single-Phase			Three-Phase						
NGAm 1B	2102100	442.00	NGA 1B	2102160	474.00	0.55	0.75	50 ÷ 350	17.4 ÷ 5
NGAm 1A	2102110	455.00	NGA 1A	2102170	491.00	0.75	1	50 ÷ 400	20 ÷ 5
NGAm 2B	2112140	442.00	NGA 2B	2112160	474.00	0.55	0.75	50 ÷ 450	9.4 ÷ 4
NGAm 2A	2112150	455.00	NGA 2A	2112170	492.00	1.1	1.5	50 ÷ 550	10.8 ÷ 4
NGAm 3D	2102120	829.00	NGA 3D	2102180	844.00	1.1	1.5	100 ÷ 700	12 ÷ 5
NGAm 3C	2102130	879.00	NGA 3C	2102190	879.00	1.5	2	100 ÷ 770	14.4 ÷ 5.7
NGAm 3B	2102140	911.00	NGA 3B	2102200	911.00	1.8	2.5	100 ÷ 840	16.5 ÷ 7
NGAm 3A	2102150	963.00	NGA 3A	2102210	963.00	2.2	3	100 ÷ 900	19 ÷ 8.5

- Pump body: cast iron
- Impeller: AISI 316 stainless steel

NGA-PRO



Stainless Steel Pumps with Open Impeller

MODEL	STOCK CODE	PRICE £	MODEL	STOCK CODE	PRICE £	POWER P ₂		PERFORMANCE	
						kW	HP	Q L/min	H m
Single-Phase			Three-Phase						
NGAm 1B - PRO	2102220	1114.00	NGA 1B - PRO	2102280	1156.00	0.55	0.75	50 ÷ 350	17.4 ÷ 5
NGAm 1A - PRO	2102230	1132.00	NGA 1A - PRO	2102290	1173.00	0.75	1	50 ÷ 400	20 ÷ 5
NGAm 2B - PRO	2112100	1114.00	NGA 2B - PRO	2112120	1156.00	0.55	0.75	50 ÷ 450	9.4 ÷ 4
NGAm 2A - PRO	2112110	1132.00	NGA 2A - PRO	2112130	1173.00	1.1	1.5	50 ÷ 550	10.8 ÷ 4
NGAm 3D - PRO	2102240	1868.00	NGA 3D - PRO	2102300	1887.00	1.1	1.5	100 ÷ 700	12 ÷ 5
NGAm 3C - PRO	2102250	1928.00	NGA 3C - PRO	2102310	1928.00	1.5	2	100 ÷ 770	14.4 ÷ 5.7
NGAm 3B - PRO	2102260	1968.00	NGA 3B - PRO	2102320	1968.00	1.8	2.5	100 ÷ 840	16.5 ÷ 7
NGAm 3A - PRO	2102270	2028.00	NGA 3A - PRO	2102330	2028.00	2.2	3	100 ÷ 900	19 ÷ 8.5

- Pump body and impeller: precision cast stainless steel AISI 316
- Body backplate: AISI 316 stainless steel
- Shaft: AISI 316 stainless steel

Flange Kits



MODEL	CONNECTION	STOCK CODE	PRICE £
For NGA 1, NGA 2 NGA 1-PRO, NGA 2-PRO	DN 40 (1½") + DN 40 (1½")	2110950	163.00
For NGA 3, NGA3-PRO	DN 50 (2") + DN 50 (2")	2110960	250.00

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

F



Monoblock Centrifugal Pumps (High Flow)

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	*	POWER		▲	PERFORMANCE	
							P ₂			Q	H
Single-Phase		£	Three-Phase		£		kW	HP		L/min	m
Fm 32/160C	2102340	1319.00	F 32/160C	2102400	1314.00		1.5	2		100 ÷ 350	24 ÷ 14
Fm 32/160B	2102350	1605.00	F 32/160B	2102410	1367.00	1	2.2	3	IE3	100 ÷ 400	30 ÷ 17
-	-	-	F 32/160A	2102420	1553.00		3	4		100 ÷ 450	37 ÷ 24
-	-	-	F 32/200C	2102430	1705.00		4	5.5		100 ÷ 450	44 ÷ 31.5
-	-	-	F 32/200B	2102440	1788.00		5.5	7.5	IE3	100 ÷ 500	51 ÷ 36
-	-	-	F 32/200A	2102450	1887.00	1	7.5	10		100 ÷ 500	57 ÷ 44
-	-	-	F 32/200BH	2102460	1649.00		3	4		100 ÷ 300	45 ÷ 37
-	-	-	F 32/200AH	2102470	1695.00		4	5.5	IE3	100 ÷ 320	55 ÷ 44
-	-	-	F 32/250C	2102480	3590.00		9.2	12.5		100 ÷ 400	75 ÷ 55
-	-	-	F 32/250B	2102490	3641.00	1	11	15	IE3	100 ÷ 450	87 ÷ 62
-	-	-	F 32/250A	2102500	3766.00		15	20		100 ÷ 480	97 ÷ 70
Fm 40/125C	2102360	1281.00	F 40/125C	2102510	1310.00		1.1	1.5	IE2	100 ÷ 550	16 ÷ 6
Fm 40/125B	2102370	1329.00	F 40/125B	2102520	1360.00	1	1.5	2	IE3	100 ÷ 600	20.5 ÷ 9
-	-	-	F 40/125A	2102530	1411.00		2.2	3		100 ÷ 700	26 ÷ 10
Fm 40/160C	2102380	1627.00	F 40/160C	2102540	1387.00		2.2	3		100 ÷ 600	27 ÷ 14
-	-	-	F 40/160B	2102550	1558.00	1	3	4	IE3	100 ÷ 600	32 ÷ 20
-	-	-	F 40/160A	2102560	1596.00		4	5.5		100 ÷ 700	38 ÷ 20
-	-	-	F 40/200B	2102570	1890.00		5.5	7.5		100 ÷ 700	47 ÷ 28
-	-	-	F 40/200A	2102580	1964.00	1	7.5	10	IE3	100 ÷ 700	55 ÷ 41
-	-	-	F 40/250C	2102590	3574.00		9.2	12.5		100 ÷ 700	64 ÷ 47
-	-	-	F 40/250B	2102600	3636.00	2	11	15	IE3	100 ÷ 700	71 ÷ 55
-	-	-	F 40/250A	2102610	3677.00		15	20		100 ÷ 700	88 ÷ 72
Fm 50/125C	2102390	1606.00	F 50/125C	2102620	1407.00		2.2	3		300 ÷ 1200	17.5 ÷ 6
-	-	-	F 50/125B	2102630	1560.00	1	3	4	IE3	300 ÷ 1200	20.7 ÷ 9
-	-	-	F 50/125A	2102640	1639.00		4	5.5		300 ÷ 1200	23.5 ÷ 13
-	-	-	F 50/160C	2102650	1753.00		4	5.5		300 ÷ 1000	27 ÷ 16
-	-	-	F 50/160B	2102660	1813.00	1	5.5	7.5	IE3	300 ÷ 1100	32 ÷ 21
-	-	-	F 50/160A	2102670	1913.00		7.5	10		300 ÷ 1100	37 ÷ 27
-	-	-	F 50/200C	2102680	3660.00		11	15		400 ÷ 1700	44 ÷ 30
-	-	-	F 50/200B	2102690	3772.00		15	20		400 ÷ 1700	52 ÷ 38
-	-	-	F 50/200A	2102700	3911.00	2	18.5	25	IE3	400 ÷ 1800	61 ÷ 45
-	-	-	F 50/200AR	2102710	4106.00		22	30		400 ÷ 1800	69 ÷ 53
-	-	-	F 50/250D	2102720	3558.00		9.2	12.5		300 ÷ 900	51 ÷ 32
-	-	-	F 50/250C	2102730	3654.00		11	15		300 ÷ 900	59 ÷ 42
-	-	-	F 50/250B	2102740	3800.00	2	15	20	IE3	300 ÷ 1000	72 ÷ 59
-	-	-	F 50/250A	2102750	4026.00		18.5	25		300 ÷ 1000	85 ÷ 73
-	-	-	F 50/250AR	2102760	4187.00		22	30		300 ÷ 1000	95 ÷ 83
-	-	-	F 65/125C	2102770	1883.00		4	5.5		600 ÷ 1800	16 ÷ 11
-	-	-	F 65/125B	2102780	1960.00	2	5.5	7.5	IE3	600 ÷ 2000	18 ÷ 13
-	-	-	F 65/125A	2102790	2048.00		7.5	10		600 ÷ 2200	23 ÷ 18
-	-	-	F 65/160C	2102800	3559.00		9.2	12.5		600 ÷ 2200	32 ÷ 22
-	-	-	F 65/160B	2102810	3660.00	2	11	15	IE3	600 ÷ 2400	36.5 ÷ 23
-	-	-	F 65/160A	2102820	3822.00		15	20		600 ÷ 2400	40.5 ÷ 28
-	-	-	F 65/200B	2102830	3850.00		15	20		200 ÷ 2400	44 ÷ 30.5
-	-	-	F 65/200A	2102840	4023.00	2	18.5	25	IE3	200 ÷ 2500	50 ÷ 36.5
-	-	-	F 65/200AR	2102850	4196.00		22	30		200 ÷ 2600	57 ÷ 42
-	-	-	F 65/250C	2102860	9377.00		30	40		400 ÷ 2350	76 ÷ 53
-	-	-	F 65/250B	2102870	10120.00	2	37	50	IE3	400 ÷ 2500	87 ÷ 62
-	-	-	F 65/250A	2102880	10408.00		45	60		400 ÷ 2600	95 ÷ 68
-	-	-	F 80/160D	2102890	3645.00		11	15		500 ÷ 4000	25 ÷ 10
-	-	-	F 80/160C	2102900	3837.00		15	20		500 ÷ 4000	30 ÷ 15
-	-	-	F 80/160B	2102910	4122.00	2	18.5	25	IE3	500 ÷ 4000	35 ÷ 20
-	-	-	F 80/160A	2102920	4351.00		22	30		500 ÷ 4000	40 ÷ 25

* Impeller: 1=brass; 2=cast iron
 ▲ Three phase motor efficiency class (IEC 60034-30-1)

Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

F



Monoblock Centrifugal Pumps (High Flow)

MODEL	STOCK CODE	PRICE £	*	POWER P ₂		▲	PERFORMANCE	
				kW	HP		Q L/min	H m
Three-Phase								
F 80/200B	2102930	9614.00	2	30	40	IE3	500 ÷ 3650	56 ÷ 34.5
F 80/200A	2102940	10414.00		37	50		500 ÷ 3900	62 ÷ 40
F 80/250B	2102950	10612.00	2	45	60		600 ÷ 3600	77 ÷ 54
F 80/250A	2102960	25007.00		55	75		600 ÷ 3900	88.5 ÷ 60
F 100/160C	2102970	4451.00	2	15	20		1000 ÷ 5000	28.5 ÷ 11
F 100/160B	2102980	4715.00		18.5	25		1000 ÷ 5200	32.5 ÷ 11
F 100/160A	2102990	4920.00	2	22	30		1000 ÷ 6000	37 ÷ 13
F 100/200C	2103000	10123.00		30	40		833 ÷ 4650	51 ÷ 28
F 100/200B	2103010	10941.00	2	37	50		833 ÷ 4900	57 ÷ 33
F 100/200A	2103020	11070.00		45	60		833 ÷ 5250	63 ÷ 38
F 100/250B	2103030	24904.00	2	55	75	800 ÷ 5150	75 ÷ 48	
F 100/250A	2103040	24549.00		75	100	800 ÷ 5750	89 ÷ 58	

- Pump body: cast iron
- Counterflange kit has to be ordered separately including screws, nuts and gaskets
- * Impeller: 1=brass; 2=cast iron
- ▲ Three phase motor efficiency class (IEC 60034-30-1)
- Protection: IP 55

F-INOX



Monoblock Inox Centrifugal Pumps (High Flow)

MODEL	STOCK CODE	PRICE £	*	POWER P ₂		▲	PERFORMANCE	
				kW	HP		Q L/min	H m
Three-Phase								
F 50/160C-I	2103050	6239.00	2	4	5.5	IE3	300 ÷ 1000	27 ÷ 16
F 50/160B-I	2103060	6375.00		5.5	7.5		300 ÷ 1100	32 ÷ 21
F 50/160A-I	2103070	6494.00		7.5	10		300 ÷ 1100	37 ÷ 27
F 65/125C-I	2103080	7424.00		4	5.5		600 ÷ 1800	16 ÷ 11
F 65/125B-I	2103090	7514.00		5.5	7.5		600 ÷ 2000	18 ÷ 13
F 65/125A-I	2103100	7624.00		7.5	10		600 ÷ 2200	23 ÷ 18
F 4 50/160B-I	2111900	6775.00		2	0.75		1	IE3
F 4 50/160A-I	2111910	6894.00	1.1		1.5	150 ÷ 700	9.3 ÷ 4.5	
F 4 65/125B-I	2111920	7914.00	0.75		1	300 ÷ 1100	4.7 ÷ 3	
F 4 65/125A-I	2111930	8022.00	1.1		1.5	300 ÷ 1200	5.7 ÷ 4	

- Pump body: cast AISI 316 stainless steel (without counter)
- Counterflange kit has to be ordered separately including screws, nuts and gaskets
- * Impeller: Stainless Steel
- ▲ Three phase motor efficiency class (IEC 60034-30-1)
- Protection: IP 55



Counter Flange Kits

MODEL	STOCK CODE	PRICE
		£
CFK 32	2103110	132.00
CFK 40	2103120	145.00
CFK 50	2103130	148.00
CFK 65	2103140	170.00
CFK 80	2103150	214.00
CFK 100	2103160	264.00

* Includes 2 x Flanges, nuts, bolts and gaskets.

Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

F4



PEDROLLO
the spring of life

Monoblock Centrifugal Pumps

MODEL	STOCK CODE	PRICE £	*	POWER P ₂		▲	PERFORMANCE	
				kW	HP		Q L/min	H m
Three-Phase								
F4-32/160B	2103170	1397.00	1	0.37	0.5	IE2	50 ÷ 200	7.5 ÷ 4.5
F4-32/160A	2103180	1415.00		0.37	0.5		50 ÷ 225	9 ÷ 5
F4-32/200B	2103190	2044.00	1	0.75	1	IE3	50 ÷ 250	12.5 ÷ 9
F4-32/200A	2103200	2096.00		1.1	1.5		50 ÷ 250	14 ÷ 10.5
F4-32/200BH	2103210	2044.00	1	0.75	1	IE3	50 ÷ 150	11.3 ÷ 9.2
F4-32/200AH	2103220	1997.00		0.75	1		50 ÷ 160	13.8 ÷ 11
F4-32/250C	2103230	2658.00	1	1.1	1.5	IE3	50 ÷ 220	18.4 ÷ 15
F4-32/250B	2103240	2815.00		1.5	2		50 ÷ 250	21.7 ÷ 17.4
F4-32/250A	2103250	2751.00	1	2.2	3	IE2	50 ÷ 270	23.8 ÷ 18.7
F4-40/160B	2103260	1410.00	1	0.37	0.5		50 ÷ 320	7.5 ÷ 3.5
F4-40/160A	2103270	1453.00		0.55	0.75	IE3	50 ÷ 350	9 ÷ 4.5
F4-40/200B	2103280	2083.00	1	0.75	1		50 ÷ 350	11.5 ÷ 7
F4-40/200A	2103290	2123.00		1.1	1.5	IE3	50 ÷ 350	13.8 ÷ 10
F4-40/250C	2103300	2711.00	2	1.1	1.5		50 ÷ 400	15.5 ÷ 10
F4-40/250B	2103310	2849.00		1.5	2	IE3	50 ÷ 400	17.5 ÷ 12
F4-40/250A	2103320	2920.00		2.2	3		50 ÷ 400	22 ÷ 17
F4-50/125B	2103330	1524.00	1	0.55	0.75	IE2	150 ÷ 600	5 ÷ 2
F4-50/125A	2103340	1524.00		0.55	0.75		150 ÷ 600	6 ÷ 3
F4-50/160B	2103350	2013.00	1	0.75	1	IE3	150 ÷ 650	8 ÷ 3.8
F4-50/160A	2103360	2065.00		1.1	1.5		150 ÷ 700	9.3 ÷ 4.5
F4-50/200C	2103370	2789.00	2	1.5	2	IE3	200 ÷ 850	11 ÷ 7.5
F4-50/200B	2103380	2845.00		2.2	3		200 ÷ 850	13 ÷ 9.5
F4-50/200A	2103390	2845.00	2	2.2	3	IE3	200 ÷ 900	15 ÷ 11.2
F4-50/200AR	2103400	2885.00		3	4		200 ÷ 900	17 ÷ 13.2
F4-50/250D	2103410	2637.00	2	1.1	1.5	IE3	150 ÷ 650	12.5 ÷ 5
F4-50/250C	2103420	2773.00		1.5	2		150 ÷ 700	14 ÷ 5
F4-50/250B	2103430	2845.00	2	2.2	3	IE3	150 ÷ 700	18 ÷ 10.5
F4-50/250A	2103440	2845.00		2.2	3		150 ÷ 700	20 ÷ 13
F4-50/250AR	2103450	2823.00	2	3	4	IE3	150 ÷ 700	23.5 ÷ 17
F4-65/125B	2103460	2168.00	2	0.75	1		IE3	300 ÷ 1100
F4-65/125A	2103470	2206.00		1.1	1.5	300 ÷ 1200		5.7 ÷ 4
F4-65/160C	2103480	2523.00	2	1.1	1.5	IE3	300 ÷ 1100	8 ÷ 5.5
F4-65/160B	2103490	2608.00		1.5	2		300 ÷ 1200	9.1 ÷ 5.7
F4-65/160A	2103500	2709.00	2	2.2	3	IE3	300 ÷ 1200	10.1 ÷ 7
F4-65/200A	2103510	2871.00		2.2	3		300 ÷ 1250	12 ÷ 8.5
F4-65/200AR	2103520	2983.00	2	3	4	IE3	300 ÷ 1300	14 ÷ 10
F4-65/250B	2103530	4772.00	2	4	5.5		200 ÷ 1250	21.8 ÷ 15.5
F4-65/250A	2103540	4846.00	2	5.5	7.5	IE3	200 ÷ 1300	23.5 ÷ 17
F4-80/160D	2103550	2850.00	2	1.5	2		300 ÷ 2000	6.3 ÷ 2.5
F4-80/160C	2103560	2893.00		2.2	3	IE3	300 ÷ 2000	7.5 ÷ 3.8
F4-80/160B	2103570	2893.00	2	2.2	3		300 ÷ 2000	8.8 ÷ 5
F4-80/160A	2103580	2944.00		3	4	IE3	300 ÷ 2000	10 ÷ 6.2
F4-80/200B	2103590	4869.00	2	4	5.5		300 ÷ 1800	14 ÷ 9
F4-80/200A	2103600	4891.00		5.5	7.5	IE3	300 ÷ 1900	15.5 ÷ 10.5
F4-80/250B	2103610	5736.00	2	5.5	7.5		300 ÷ 1800	19.5 ÷ 13.5
F4-80/250A	2103620	5750.00		7.5	10	IE3	300 ÷ 1950	22 ÷ 15
F4-100/160B	2103630	3332.00	2	2.2	3		400 ÷ 2750	8.1 ÷ 2.7
F4-100/160A	2103640	3463.00		3	4	IE3	400 ÷ 3000	9.2 ÷ 3.2
F4-100/200C	2103650	4655.00	2	4	5.5		400 ÷ 2300	12.7 ÷ 7
F4-100/200B	2103660	4736.00		5.5	7.5	IE3	400 ÷ 2400	14.2 ÷ 8.5
F4-100/200A	2103670	4736.00	2	5.5	7.5		400 ÷ 2600	15.8 ÷ 9.5
F4-100/250B	2103680	6081.00		7.5	10	IE3	400 ÷ 2600	18.5 ÷ 11.5
F4-100/250A	2103690	6170.00	2	9.2	12.5		400 ÷ 2900	22 ÷ 13.5

- Pump body: cast iron
- Counterflange kit has to be ordered separately including screws, nuts and gaskets

- * Impeller: 1=brass; 2=cast iron
- ▲ Three phase motor efficiency class (IEC 60034-30-1)
- Protection: IP X5

Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

FG

Monoblock Centrifugal Pumps

MODEL	STOCK CODE	PRICE £	*	2 POLE n= 2900 min ⁻¹				4 POLE n= 1450 min ⁻¹			
				POWER P ₂		PERFORMANCE		POWER P ₂		PERFORMANCE	
				kW	HP	Q m ³ /h	H m	kW	HP	Q m ³ /h	H m
FG-32/160C	2103700	1851.00	1	1.5	2	6 ÷ 21	24 ÷ 14	0.25	0.33	3 ÷ 10.5	6 ÷ 3.5
FG-32/160B	2103710	1851.00		2.2	3	6 ÷ 24	30 ÷ 17	0.37	0.5	3 ÷ 12	7.5 ÷ 4
FG-32/160A	2103720	1851.00		3	4	6 ÷ 27	37 ÷ 24	0.37	0.5	3 ÷ 13.5	9 ÷ 6
FG-32/200C	2103730	2016.00	1	4	5.5	6 ÷ 27	44 ÷ 31.5	0.55	0.75	3 ÷ 13.5	11 ÷ 8
FG-32/200B	2103740	2016.00		5.5	7.5	6 ÷ 30	51 ÷ 36	0.75	1	3 ÷ 15	12.5 ÷ 9
FG-32/200A	2103750	2016.00		7.5	10	6 ÷ 30	57 ÷ 44	1.1	1.5	3 ÷ 15	14 ÷ 11
FG-32/200BH	2103760	2016.00	1	3	4	6 ÷ 18	45 ÷ 37	0.55	0.75	3 ÷ 9	11 ÷ 9
FG-32/200AH	2103770	2016.00		4	5.5	6 ÷ 19.2	55 ÷ 44	0.55	0.75	3 ÷ 9.6	13.8 ÷ 11
FG-32/250C	2103780	2572.00	2	9.2	12.5	6 ÷ 24	75 ÷ 55	1.1	1.5	3 ÷ 13.2	18.4 ÷ 15
FG-32/250B	2103790	2572.00		11	15	6 ÷ 27	87 ÷ 62	1.5	2	3 ÷ 15	21.7 ÷ 17.4
FG-32/250A	2103800	2572.00		15	20	6 ÷ 28.8	97 ÷ 70	2.2	3	3 ÷ 16.2	23.8 ÷ 18.7
FG-40/125C	2103810	1877.00	1	1.1	1.5	6 ÷ 33	16 ÷ 6	-	-	-	-
FG-40/125B	2103820	1877.00		1.5	2	6 ÷ 36	20.5 ÷ 9	-	-	-	-
FG-40/125A	2103830	1877.00		2.2	3	6 ÷ 42	26 ÷ 10	-	-	-	-
FG-40/160C	2103840	1865.00	1	2.2	3	6 ÷ 36	27 ÷ 14	0.37	0.5	3 ÷ 18	6.5 ÷ 3.5
FG-40/160B	2103850	1865.00		3	4	6 ÷ 36	32 ÷ 20	0.37	0.5	3 ÷ 18	8 ÷ 5
FG-40/160A	2103860	1865.00		4	5.5	6 ÷ 42	38 ÷ 20	0.55	0.75	3 ÷ 21	9.5 ÷ 5
FG-40/200B	2103870	2091.00	1	5.5	7.5	6 ÷ 42	47 ÷ 28	0.75	1	3 ÷ 21	11.5 ÷ 7
FG-40/200A	2103880	2091.00		7.5	10	6 ÷ 42	55 ÷ 41	1.1	1.5	3 ÷ 21	13.5 ÷ 10
FG-40/250C	2103890	2584.00	2	9.2	12.5	6 ÷ 42	64 ÷ 47	1.1	1.5	3 ÷ 21	16 ÷ 11.5
FG-40/250B	2103900	2584.00		11	15	6 ÷ 42	71 ÷ 55	1.5	2	3 ÷ 21	17.5 ÷ 13.5
FG-40/250A	2103910	2584.00		15	20	6 ÷ 42	88 ÷ 72	2.2	3	3 ÷ 21	22 ÷ 18
FG-50/125C	2103920	1841.00	1	2.2	3	18 ÷ 72	17.5 ÷ 6	0.37	0.5	9 ÷ 36	4 ÷ 1.5
FG-50/125B	2103930	1841.00		3	4	18 ÷ 72	20.7 ÷ 9	0.55	0.75	9 ÷ 36	5 ÷ 2
FG-50/125A	2103940	1841.00		4	5.5	18 ÷ 72	23.5 ÷ 13	0.55	0.75	9 ÷ 36	6 ÷ 3
FG-50/160C	2103950	2049.00	1	4	5.5	18 ÷ 60	27 ÷ 16	0.55	0.75	9 ÷ 30	7 ÷ 4
FG-50/160B	2103960	2049.00		5.5	7.5	18 ÷ 66	32 ÷ 21	0.75	1	9 ÷ 33	8 ÷ 5
FG-50/160A	2103970	2049.00		7.5	10	18 ÷ 66	37 ÷ 27	1.1	1.5	9 ÷ 33	9 ÷ 7
FG-50/200C	2103980	2494.00	2	11	15	24 ÷ 102	44 ÷ 30	1.5	2	12 ÷ 51	11 ÷ 7.5
FG-50/200B	2103990	2494.00		15	20	24 ÷ 102	52 ÷ 38	2.2	3	12 ÷ 51	13 ÷ 9.5
FG-50/200A	2104000	2494.00		18.5	25	24 ÷ 108	61 ÷ 45	2.2	3	12 ÷ 54	15 ÷ 11
FG-50/200AR	2104010	2494.00		22	30	24 ÷ 108	69 ÷ 53	3	4	12 ÷ 54	17 ÷ 13
FG-50/250D	2104020	2494.00	2	9.2	12.5	18 ÷ 54	51 ÷ 32	0.75	1	18 ÷ 60	4.5 ÷ 3
FG-50/250C	2104030	2494.00		11	15	18 ÷ 54	59 ÷ 42	1.1	1.5	18 ÷ 66	5.5 ÷ 4.5
FG-50/250B	2104040	2494.00		15	20	18 ÷ 60	72 ÷ 59	1.1	1.5	18 ÷ 66	8 ÷ 5.5
FG-50/250A	2104050	2494.00		18.5	25	18 ÷ 60	85 ÷ 73	1.5	2	18 ÷ 72	9 ÷ 5.5
FG-50/250AR	2104060	2494.00		22	30	18 ÷ 60	95 ÷ 83	2.2	3	18 ÷ 72	10 ÷ 7
FG-65/125C	2104070	2246.00	2	4	5.5	36 ÷ 108	16 ÷ 11	1.1	1.5	9 ÷ 27	12.5 ÷ 8
FG-65/125B	2104080	2246.00		5.5	7.5	36 ÷ 108	18 ÷ 13	1.5	2	9 ÷ 27	14.5 ÷ 10.5
FG-65/125A	2104090	2246.00		7.5	10	36 ÷ 132	23 ÷ 18	2.2	3	9 ÷ 30	18 ÷ 14.5
FG-65/160C	2104100	2597.00	2	9.2	12.5	36 ÷ 132	32 ÷ 22	2.2	3	9 ÷ 30	21 ÷ 18
FG-65/160B	2104110	2597.00		11	15	36 ÷ 144	36.5 ÷ 23	3	4	9 ÷ 30	24 ÷ 21
FG-65/160A	2104120	2597.00		15	20	36 ÷ 144	40.5 ÷ 28	0.55	0.75	18 ÷ 54	4 ÷ 2.5

Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

FG

Monoblock Centrifugal Pumps

MODEL	STOCK CODE	PRICE £	*	2 POLE n= 2900 min ⁻¹				4 POLE n= 1450 min ⁻¹			
				POWER P ₂		PERFORMANCE		POWER P ₂		PERFORMANCE	
				kW	HP	Q m ³ /h	H m	kW	HP	Q m ³ /h	H m
FG-65/200B	2104130	2688.00	2	15	20	12 ÷ 144	44 ÷ 30.5	2.2	3	6 ÷ 72	10.5 ÷ 7.3
FG-65/200A	2104140	2688.00		18.5	25	12 ÷ 150	50 ÷ 36.5	2.2	3	6 ÷ 75	12 ÷ 8.5
FG-65/200AR	2104150	2688.00		22	30	12 ÷ 156	57 ÷ 42	3	4	6 ÷ 78	14 ÷ 10
FG-65/250C	2104160	3552.00	2	30	40	24 ÷ 141	76 ÷ 53	3	4	12 ÷ 70.5	19 ÷ 13
FG-65/250B	2104170	3552.00		37	50	24 ÷ 150	87 ÷ 62	4	5.5	12 ÷ 75	21.5 ÷ 15.5
FG-65/250A	2104180	3552.00		45	60	24 ÷ 156	95 ÷ 68	5.5	7.5	12 ÷ 78	23.5 ÷ 17
FG-80/160D	2104190	2742.00	2	11	15	30 ÷ 240	25 ÷ 10	1.5	2	15 ÷ 120	6 ÷ 2.5
FG-80/160C	2104200	2742.00		15	20	30 ÷ 240	30 ÷ 15	2.2	3	15 ÷ 120	7.5 ÷ 3.5
FG-80/160B	2104210	2742.00		18.5	25	30 ÷ 240	35 ÷ 20	2.2	3	15 ÷ 120	8.5 ÷ 5
FG-80/160A	2104220	2742.00	2	22	30	30 ÷ 240	40 ÷ 25	3	4	15 ÷ 120	10 ÷ 6
FG-80/200B	2104230	3254.00		30	40	30 ÷ 219	56 ÷ 34.5	4	5.5	15 ÷ 09.5	14 ÷ 8.5
FG-80/200A	2104240	3254.00		37	50	30 ÷ 234	62 ÷ 40	5.5	7.5	15 ÷ 117	15.5 ÷ 10
FG-80/250B	2104250	4064.00	2	45	60	36 ÷ 216	77 ÷ 54	5.5	7.5	18 ÷ 108	19 ÷ 13.5
FG-80/250A	2104260	4064.00		55	75	36 ÷ 234	88.5 ÷ 60	7.5	10	18 ÷ 117	22 ÷ 15
FG-100/160C	2104270	2991.00	2	15	20	60 ÷ 300	28.5 ÷ 11	–	–	–	–
FG-100/160B	2104280	2991.00		18.5	25	60 ÷ 330	32.5 ÷ 11	2.2	3	24 ÷ 165	8.1 ÷ 2.7
FG-100/160A	2104290	2991.00		22	30	60 ÷ 360	37 ÷ 13	3	4	24 ÷ 180	9.2 ÷ 3.2
FG-100/200C	2104300	3588.00	2	30	40	48 ÷ 279	51 ÷ 28	4	5.5	24 ÷ 39.5	12.5 ÷ 7
FG-100/200B	2104310	3588.00		37	50	48 ÷ 294	57 ÷ 33	5.5	7.5	24 ÷ 147	14 ÷ 8
FG-100/200A	2104320	3588.00		45	60	48 ÷ 315	63 ÷ 38	5.5	7.5	24 ÷ 57.5	15.5 ÷ 9.5
FG-100/250B	2104330	4053.00	2	55	75	48 ÷ 309	75 ÷ 48	7.5	10	24 ÷ 154.5	18.5 ÷ 12
FG-100/250A	2104340	4053.00		75	100	48 ÷ 345	89 ÷ 58	9.2	12.5	24 ÷ 172.5	22 ÷ 14.5



- Pump body: cast iron
- Counterflange kit has to be ordered separately including screws, nuts and gaskets
- * Impeller: cast iron

Upon request the FG pumps can be tested in accordance with EN 12845 for use in fire fighting applications at an additional cost.

Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

2-5CR



Multi-Stage Centrifugal Pumps - Stainless Steel

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂			Q	H
Single-Phase		£	Three-Phase		£	kW	HP		L/min	m
2CRm 80	2104350	410.00	2CR 80	2104420	447.00	0.37	0.50		5 ÷ 70	26 ÷ 5
3CRm 80	2104360	443.00	3CR 80	2104430	482.00	0.45	0.60	IE2	5 ÷ 80	38 ÷ 5
4CRm 80	2104370	491.00	4CR 80	2104440	529.00	0.55	0.75		5 ÷ 80	50 ÷ 10
5CRm 80	2104380	599.00	5CR 80	2104450	619.00	0.75	1	IE3	5 ÷ 80	66 ÷ 12
3CRm 100	2104390	466.00	3CR 100	2104460	508.00	0.55	0.75	IE2	5 ÷ 120	37 ÷ 5
4CRm 100	2104400	561.00	4CR 100	2104470	578.00	0.75	1		5 ÷ 130	50 ÷ 5
5CRm 100	2104410	620.00	5CR 100	2104480	619.00	1.1	1.5	IE3	5 ÷ 130	62 ÷ 8

- Pump body: AISI 304 stainless steel
- Impeller & Diffusers: AISI 304 stainless steel
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

FCR



Multi-Stage Centrifugal Pumps - Stainless Steel

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂			Q	H
Single-Phase		£	Three-Phase		£	kW	HP		L/min	m
FCRm 80/2	2111940	543.00	FCR 80/2	2112030	578.00	0.37	0.5		5 ÷ 70	26 ÷ 5
FCRm 80/3	2111950	561.00	FCR 80/3	2112040	596.00	0.45	0.6		5 ÷ 80	38 ÷ 5
FCRm 80/4	2111960	613.00	FCR 80/4	2112050	648.00	0.55	0.75		5 ÷ 80	50 ÷ 10
FCRm 80/5	2111970	692.00	FCR 80/5	2112060	710.00	0.75	1		5 ÷ 80	66 ÷ 12
FCRm 100/3	2111980	613.00	FCR 100/3	2112070	648.00	0.55	0.75		5 ÷ 120	37 ÷ 5
FCRm 100/4	2111990	692.00	FCR 100/4	2112080	710.00	0.75	1		5 ÷ 130	50 ÷ 5
FCRm 100/5	2112000	727.00	FCR 100/5	2112090	745.00	1.1	1.5		5 ÷ 130	65 ÷ 8
FCRm 90/5	2104490	1342.00	FCR 90/5	2104580	1360.00	1.1	1.5		5 ÷ 90	78 ÷ 38
FCRm 90/6	2104500	1455.00	FCR 90/6	2104590	1455.00	1.5	2	IE3	5 ÷ 90	94 ÷ 45
FCRm 90/7	2104510	1586.00	FCR 90/7	2104600	1586.00	1.8	2.5		5 ÷ 90	110 ÷ 53
FCRm 130/3	2104520	1192.00	FCR 130/3	2104610	1213.00	1.1	1.5		5 ÷ 130	49 ÷ 24
FCRm 130/4	2104530	1306.00	FCR 130/4	2104620	1306.00	1.5	2		5 ÷ 130	65 ÷ 31
FCRm 130/5	2104540	1420.00	FCR 130/5	2104630	1420.00	1.8	2.5		5 ÷ 130	81 ÷ 39
FCRm 130/6	2112010	1621.00	FCR 130/6	2104640	1542.00	2.2	3		5 ÷ 130	97 ÷ 46
FCRm 200/3	2104550	1192.00	FCR 200/3	2104650	1213.00	1.1	1.5		20 ÷ 200	43 ÷ 13
FCRm 200/4	2104560	1306.00	FCR 200/4	2104660	1306.00	1.5	2		20 ÷ 200	57 ÷ 17
FCRm 200/5	2104570	1420.00	FCR 200/5	2104670	1420.00	1.8	2.5		20 ÷ 200	71 ÷ 22
FCRm 200/6	2112020	1621.00	FCR 200/6	2104680	1542.00	2.2	3		20 ÷ 200	85 ÷ 26
FCRm 240/3	2112400	1306.00	FCR 240/3	2112430	1306.00	1.5	2		20 ÷ 240	46 ÷ 11.5
FCRm 240/4	2112410	1420.00	FCR 240/4	2112440	1420.00	1.8	2.5		20 ÷ 240	61 ÷ 15.5
FCRm 240/5	2112420	1621.00	FCR 240/5	2112450	1542.00	2.2	3		20 ÷ 240	76.5 ÷ 19

- Pump body: AISI 304 stainless steel
- Impeller & Diffusers: AISI 304 stainless steel
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

FCR



Multi-Stage Centrifugal Pumps - Stainless Steel

MODEL	STOCK CODE	PRICE £	POWER P ₂		▲	PERFORMANCE	
			kW	HP		Q L/min	H m
Three-Phase							
FCR 15/2R	2104870	2296.00	3	4	IE3	50 ÷ 400	47 ÷ 18
FCR 15/3R	2104875	2480.00	4	5.5		50 ÷ 400	70 ÷ 27
FCR 15/3	2104880	2576.00	4	5.5		50 ÷ 400	70 ÷ 27
FCR 15/4	2104890	3041.00	5.5	7.5		50 ÷ 400	94 ÷ 36
FCR 15/5	2104900	3453.00	7.5	10		50 ÷ 400	117 ÷ 45
FCR 30/2R	2104905	2296.00	4	5.5		100 ÷ 800	39 ÷ 8
FCR 30/2	2104910	2480.00	4	5.5		100 ÷ 800	39 ÷ 8
FCR 30/3	2104920	3041.00	5.5	7.5		100 ÷ 800	58.5 ÷ 12
FCR 30/4	2104930	3453.00	7.5	10		100 ÷ 800	78 ÷ 16

- Pump body: AISI 304 stainless steel
- Impeller: AISI 304 stainless steel
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

Flange Kits



MODEL	CONNECTION	STOCK CODE	PRICE £
For FCR 80 and FCR 100	DN 25 (1") + DN 25 (1")	2113400	102.00
For FCR 90, FCR 130, FCR 200 & FCR 240	DN 32 (1 ¼") + DN 25 (1")	2113410	109.00
For FCR 15 and FCR 30	DN 65 (2 ½") + DN 25 (2")	2113420	193.00

MK



Vertical Multi-Stage Pump

MODEL	STOCK CODE	PRICE £	MODEL	STOCK CODE	PRICE £	POWER P ₂		▲	PERFORMANCE	
						kW	HP		Q L/min	H m
Single-Phase			Three-Phase					IE3		
MKm 3/3	2104940	1181.00	MK 3/3	2105040	1223.00	0.75	1		10 ÷ 80	50 ÷ 28
MKm 3/5	2104950	1310.00	MK 3/5	2105050	1280.00	1.1	1.5		10 ÷ 80	83 ÷ 47
MKm 3/6	2104960	1448.00	MK 3/6	2105060	1366.00	1.5	2		10 ÷ 80	100 ÷ 56
MKm 5/4	2104970	1176.00	MK 5/4	2105070	1215.00	1.1	1.5		20 ÷ 120	55 ÷ 20
MKm 5/5	2104980	1297.00	MK 5/5	2105080	1340.00	1.1	1.5		20 ÷ 120	69 ÷ 25
MKm 5/7	2104990	1375.00	MK 5/7	2105090	1388.00	1.8	2.5		20 ÷ 120	96 ÷ 34
MKm 5/8	2105000	1476.00	MK 5/8	2105100	1466.00	2.2	3		20 ÷ 120	110 ÷ 40
MKm 8/4	2105010	1261.00	MK 8/4	2105110	1363.00	1.5	2		40 ÷ 180	54 ÷ 15
MKm 8/5	2105020	1476.00	MK 8/5	2105120	1215.00	1.8	2.5		40 ÷ 180	67.5 ÷ 18
MKm 8/6	2105030	1424.00	MK 8/6	2105130	1523.00	2.2	3	40 ÷ 180	82 ÷ 20	

- Pump body: cast iron and stainless steel
- Impeller: Noryl
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

Flange Kits



MODEL	CONNECTION	STOCK CODE	PRICE £
For MK	Suction flange 11/4" + Delivery flange 1"	2113430	210.00

- Kit consisting of:
 - Two flanges in threaded cast iron ISO 228/1
 - Two seals
 - Four screws for fixing to the ports of the MK pump

HT



Vertical Multi-stage Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂			Q	H
Single-Phase		£	Three-Phase		£	kW	HP		L/min	m
HTm 3/4	2111150	1367.00	HT 3/4	2111280	1402.00	0.75	1		5 ÷ 90	65 ÷ 35
HTm 3/5	2111160	1414.00	HT 3/5	2111290	1446.00	1.1	1.5		5 ÷ 90	80 ÷ 44
HTm 3/6	2111170	1519.00	HT 3/6	2111300	1519.00	1.5	2		5 ÷ 90	96 ÷ 52
HTm 3/7	2111180	1636.00	HT 3/7	2111310	1636.00	1.8	2.5		5 ÷ 90	112 ÷ 61
			HT 3/8	2113060	2503.00	2.2	3		5 ÷ 90	128 ÷ 69.5
			HT 3/9	2113070	2600.00	3	4		5 ÷ 90	144 ÷ 78
			HT 3/10	2113080	2743.00	3	4		5 ÷ 90	160 ÷ 87
HTm 5/2	2111190	1367.00	HT 5/2	2111320	1402.00	0.75	1		5 ÷ 130	30 ÷ 20.5
HTm 5/3	2111200	1414.00	HT 5/3	2111330	1446.00	1.1	1.5		5 ÷ 130	51.5 ÷ 31
HTm 5/4	2111210	1519.00	HT 5/4	2111340	1519.00	1.5	2		5 ÷ 130	68.5 ÷ 41
HTm 5/5	2111220	1636.00	HT 5/5	2111350	1636.00	1.8	2.5		5 ÷ 130	85 ÷ 51.5
HTm 5/6	2111230	1709.00	HT 5/6	2111360	1709.00	2.2	3		5 ÷ 130	103 ÷ 62
			HT 5/7	2113090	2351.00	3	4		5 ÷ 130	120 ÷ 72
			HT 5/8	2113100	2550.00	3	4		5 ÷ 130	137 ÷ 82
			HT 5/9	2113110	2658.00	4	5.5		5 ÷ 130	154 ÷ 93
HTm 8/3	2111240	1414.00	HT 8/3	2111370	1460.00	1.1	1.5		20 ÷ 200	46.5 ÷ 17
HTm 8/4	2111250	1519.00	HT 8/4	2111380	1554.00	1.5	2		20 ÷ 200	62 ÷ 23
HTm 8/5	2111260	1636.00	HT 8/5	2111390	1665.00	1.8	2.5		20 ÷ 200	77.5 ÷ 28.5
HTm 8/6	2111270	1709.00	HT 8/6	2111400	1738.00	2.2	3		20 ÷ 200	93 ÷ 34.5
			HT 8/7	2113120	2366.00	3	4		20 ÷ 200	108 ÷ 40
			HT 8/8	2113130	2565.00	4	5.5	IE3	20 ÷ 200	124 ÷ 45.5
			HT 8/9	2113140	2673.00	4	5.5		20 ÷ 200	139 ÷ 51.5
			HT 8/10	2113150	2877.00	5.5	7.5		20 ÷ 200	155 ÷ 57
HTm 10/3	2112490	1519.00	HT 10/3	2112520	1519.00	1.5	2		20 ÷ 200	45.5 ÷ 13
HTm 10/4	2112500	1621.00	HT 10/4	2112530	1636.00	1.8	2.5		30 ÷ 250	61 ÷ 18
HTm 10/5	2112510	1709.00	HT 10/5	2112540	1709.00	2.2	3		30 ÷ 250	75.5 ÷ 21.5
			HT 10/6	2112550	2302.00	3	4		30 ÷ 250	91 ÷ 26
			HT 10/7	2112560	2366.00	3	4		30 ÷ 250	106 ÷ 30
			HT 10/8	2112570	2600.00	4	5.5		30 ÷ 250	121 ÷ 34.5
			HT 10/9	2112580	2673.00	4	5.5		30 ÷ 250	136 ÷ 38.5
			HT 15/2R	2111410	2366.00	2.2	3		50 ÷ 350	43 ÷ 20.5
			HT 15/3/R	2111420	2532.00	3	4		50 ÷ 350	62.5 ÷ 27
			HT 15/3	2111430	2570.00	4	5.5		50 ÷ 400	70 ÷ 27
			HT 15/4	2111440	2904.00	5.5	7.5		50 ÷ 400	94 ÷ 36
			HT 15/5	2111450	3082.00	7.5	10		50 ÷ 400	117 ÷ 45
			HT 15/6	2112180	5199.00	9.2	12		50 ÷ 400	137 ÷ 52.5
			HT 15/7	2112190	5360.00	9.2	12		50 ÷ 400	160 ÷ 61.5
			HT 30/2R	2111460	2395.00	3	4		100 ÷ 700	34 ÷ 10
			HT 30/2	2111470	2424.00	4	5.5		100 ÷ 800	39 ÷ 8
			HT 30/3	2111480	2687.00	5.5	7.5		100 ÷ 800	58.5 ÷ 12
			HT 30/4	2111490	2950.00	7.5	10		100 ÷ 800	78 ÷ 16
			HT 30/5	2112200	5082.00	9.2	12		100 ÷ 800	98 ÷ 20
			HT 30/6	2112210	5258.00	11	15		100 ÷ 800	117 ÷ 24
			HT 30/7	2112220	5594.00	15	20		100 ÷ 800	134 ÷ 27.5
			HT 30/8	2112230	5754.00	15	20		100 ÷ 800	154 ÷ 31.5

- Pump body: JL250 high-performance cast iron (HT)
- Impeller: AISI 304 stainless steel
- ▲ Three phase motor efficiency class (IEC 60034-30-1)



FOR MORE INFORMATION ON THE HT RANGE

SCAN THE QR CODE WITH YOUR IPHONE CAMERA OR QR READER

HT-PRO



Vertical Multi-stage Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂			Q	H
Single-Phase		£	Three-Phase		£	kW	HP		L/min	m
HTm 3/4 - PRO	2111500	2191.00	HT 3/4 - PRO	2111630	2220.00	0.75	1		5 ÷ 90	63 ÷ 30.5
HTm 3/5 - PRO	2111510	2249.00	HT 3/5 - PRO	2111640	2278.00	1.1	1.5		5 ÷ 90	79 ÷ 38
HTm 3/6 - PRO	2111520	2351.00	HT 3/6 - PRO	2111650	2381.00	1.5	2		5 ÷ 90	94 ÷ 45.5
HTm 3/7 - PRO	2111530	2454.00	HT 3/7 - PRO	2111660	2483.00	1.8	2.5		5 ÷ 90	110 ÷ 53
			HT 3/5 - PRO	2113220	3257.00	3	4		5 ÷ 90	128 ÷ 69.5
			HT 3/6 - PRO	2113230	3374.00	3	4		5 ÷ 90	144 ÷ 78
			HT 3/7 - PRO	2113240	3505.00	4	5.5		5 ÷ 90	160 ÷ 87
HTm 5/2 - PRO	2111540	2191.00	HT 5/2 - PRO	2111670	2220.00	0.75	1		5 ÷ 130	33 ÷ 16
HTm 5/3 - PRO	2111550	2249.00	HT 5/3 - PRO	2111680	2278.00	1.1	1.5		5 ÷ 130	49 ÷ 24
HTm 5/4 - PRO	2111560	2351.00	HT 5/4 - PRO	2111690	2381.00	1.5	2		5 ÷ 130	65 ÷ 32
HTm 5/5 - PRO	2111570	2454.00	HT 5/5 - PRO	2111700	2483.00	1.8	2.5		5 ÷ 130	81 ÷ 39
HTm 5/6 - PRO	2111580	2527.00	HT 5/6 - PRO	2111710	2527.00	2.2	3		5 ÷ 130	97 ÷ 47
			HT 5/7 - PRO	2113250	3111.00	3	4		5 ÷ 130	120 ÷ 72
			HT 5/8 - PRO	2113260	3409.00	3	4		5 ÷ 130	137 ÷ 82
			HT 5/9 - PRO	2113270	3490.00	4	5.5		5 ÷ 130	154 ÷ 93
HTm 8/3 - PRO	2111590	2249.00	HT 8/3 - PRO	2111720	2278.00	1.1	1.5		20 ÷ 200	43 ÷ 13
HTm 8/4 - PRO	2111600	2351.00	HT 8/4 - PRO	2111730	2381.00	1.5	2		20 ÷ 200	58 ÷ 18
HTm 8/5 - PRO	2111610	2454.00	HT 8/5 - PRO	2111740	2483.00	1.8	2.5		20 ÷ 200	71.5 ÷ 21.5
HTm 8/6 - PRO	2111620	2532.00	HT 8/6 - PRO	2111750	2527.00	2.2	3		20 ÷ 200	85.5 ÷ 36
			HT 8/7 - PRO	2113280	3155.00	3	4		20 ÷ 200	108 ÷ 40
			HT 8/8 - PRO	2113290	3374.00	4	5.5		20 ÷ 200	124 ÷ 45.5
			HT 8/9 - PRO	2113300	3447.00	4	5.5	IE3	20 ÷ 200	139 ÷ 51.5
			HT 8/10 - PRO	2113310	3651.00	5.5	7.5		20 ÷ 200	155 ÷ 57
HTm 10/3 - PRO	2112590	2351.00	HT 10/3 - PRO	2112620	2316.00	1.5	2		20 ÷ 200	45.5 ÷ 13
HTm 10/4 - PRO	2112600	2454.00	HT 10/4 - PRO	2112630	2483.00	1.8	2.5		30 ÷ 250	61 ÷ 18
HTm 10/5 - PRO	2112610	2527.00	HT 10/5 - PRO	2112640	2527.00	2.2	3		30 ÷ 250	75.5 ÷ 21.5
			HT 10/6 - PRO	2112650	3082.00	3	4		30 ÷ 250	91 ÷ 26
			HT 10/7 - PRO	2112660	3155.00	3	4		30 ÷ 250	106 ÷ 30
			HT 10/8 - PRO	2112670	3374.00	4	5.5		30 ÷ 250	121 ÷ 34.5
			HT 10/9 - PRO	2112680	3447.00	4	5.5		30 ÷ 250	136 ÷ 38.5
			HT 15/2R - PRO	2111760	2892.00	2.2	3		50 ÷ 350	43 ÷ 20.5
			HT 15/3R - PRO	2111770	3067.00	3	4		50 ÷ 350	62.5 ÷ 27
			HT 15/3 - PRO	2111780	3111.00	4	5.5		50 ÷ 400	70 ÷ 27
			HT 15/4 - PRO	2111790	3330.00	5.5	7.5		50 ÷ 400	94 ÷ 36
			HT 15/5 - PRO	2111800	3607.00	7.5	10		50 ÷ 400	117 ÷ 45
			HT 15/6 - PRO	2111801	5477.00	9.2	12		50 ÷ 400	137 ÷ 52.5
			HT 15/7 - PRO	2111802	5637.00	9.2	12		50 ÷ 400	160 ÷ 61.5
			HT 30/2R - PRO	2111810	2687.00	3	4		100 ÷ 700	34 ÷ 10
			HT 30/2 - PRO	2111820	2737.00	4	5.5		100 ÷ 800	39 ÷ 8
			HT 30/3 - PRO	2111830	2985.00	5.5	7.5		100 ÷ 800	58.5 ÷ 12
			HT 30/4 - PRO	2111840	3266.00	7.5	10		100 ÷ 800	78 ÷ 16
			HT 30/5 - PRO	2111850	5389.00	9.2	12		100 ÷ 800	98 ÷ 20
			HT 30/6 - PRO	2111860	5564.00	11	15		100 ÷ 800	117 ÷ 24
			HT 30/7 - PRO	2111870	5900.00	15	20		100 ÷ 800	134 ÷ 27.5
			HT 30/8 - PRO	2111880	6061.00	15	20		100 ÷ 800	154 ÷ 31.5

- Pump body: AISI 304 stainless steel (HT PRO)
- Impeller: AISI 304 stainless steel
- ▲ Three phase motor efficiency class (IEC 60034-30-1)



FOR MORE INFORMATION ON THE HT RANGE

SCAN THE QR CODE WITH YOUR IPHONE CAMERA OR QR READER



Counterflange Kits

MODEL	STOCK CODE	PRICE £	Connection
For HT 3	2113170	63.00	DN 25 (1")
For HT 5	2113180	96.00	DN 32 (1 ¼")
For HT 8, HT 10	2113190	105.00	DN 40 (1 ½")
For HT 15	2113200	115.00	DN 50 (2")
For HT 30	2113210	131.00	DN 65 (2 ½")

- Cast iron counterflanges
- Kit consisting of 2 counterflanges, screws, nuts and gaskets

IN-LINE CLOSED-COUPLED CENTRIFUGAL PUMPS

WR



In-Line Closed-Coupled Centrifugal Pumps

MODEL	STOCK CODE	PRICE £	MODEL	STOCK CODE	PRICE £	POWER P ₂		PERFORMANCE	
						kW	HP	Q L/min	H m
Single-Phase			Three-Phase						
WRm40/125-SB	2113320	1305.00	WR 40/125-SB	2113390	1305.00	0.55	0.75	50 ÷ 300	18.2 ÷ 7
WRm40/125-SA	2113330	1324.00	WR 40/125-SA	2113440	1324.00	0.75	1	50 ÷ 300	21.8 ÷ 9
WRm50/125-SB	2113340	1305.00	WR 50/125-SB	2113450	1344.00	0.55	0.75	100 ÷ 500	13.5 ÷ 6
WRm50/125-SA	2113350	1324.00	WR 50/125-SA	2113460	1363.00	0.75	1	100 ÷ 600	14.5 ÷ 3.5
WRm50/125C	2113360	2025.00	WR 50/125C	2113470	2072.00	1.1	1.5	100 ÷ 550	16 ÷ 6
WRm50/125B	2113370	2072.00	WR 50/125B	2113480	2115.00	1.5	2	100 ÷ 600	20.5 ÷ 9
WRm50/125A	2113380	2142.00	WR 50/125A	2113490	2181.00	2.2	3	100 ÷ 700	26 ÷ 10

- Pump body: cast iron
- Impeller: AISI 304 stainless price
- Single phase IE2, Three phase IE3
- Ports:
 - 40/125: DN1 - DN40 | DN2 - DN40
 - 50/125: DN1 - DN50 | DN2 - DN50
- ▲ Three phase motor efficiency class (IEC 60034-30-1)

DPV2



dp pumps



DPV2 Pump & Motor - Flow 2 m³/hr

MODEL	STOCK CODE	PRICE DPV £	PRICE DPVF £	PRICE DPVS £	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPV2/2	2105140	1273.00	1273.00	1545.00	1545.00	11	0.37	22
DPV2/3	2105150	1311.00	1311.00	1595.00	1595.00	19	0.37	23
DPV2/4	2105160	1360.00	1360.00	1660.00	1660.00	23	0.37	23
DPV2/5	2105170	1416.00	1416.00	1728.00	1728.00	29	0.37	24
DPV2/6	2105180	1484.00	1484.00	1811.00	1811.00	34	0.55	24
DPV2/7	2105190	1552.00	1552.00	1904.00	1904.00	40	0.55	25
DPV2/8	2105200	1607.00	1607.00	1978.00	1978.00	46	0.55	25
DPV2/9	2105210	1765.00	1765.00	2151.00	2151.00	55	0.75	32
DPV2/10	2105220	1855.00	1855.00	2253.00	2253.00	61	0.75	32
DPV2/11	2105230	1926.00	1926.00	2337.00	2337.00	67	1.1	32
DPV2/12	2105240	1991.00	1991.00	2426.00	2426.00	74	1.1	33
DPV2/14	2105250	2086.00	2086.00	2565.00	2565.00	86	1.1	34
DPV2/16	2105260	2429.00	2429.00	2924.00	2924.00	98	1.5	40
DPV2/18	2105270	2541.00	2541.00	3097.00	3097.00	110	1.5	41
DPV2/20	2105280	2705.00	2705.00	3255.00	3255.00	123	1.5	42
DPVF2/22	2105440	-	2896.00	-	3443.00	135	2.2	46
DPVF2/24	2105450	-	3100.00	-	3629.00	147	2.2	46
DPVF2/26	2105460	-	3230.00	-	3780.00	159	2.2	47
DPVF2/28	2105470	-	3369.00	-	4000.00	172	2.2	48
DPVF2/30	2105480	-	3511.00	-	4126.00	184	2.2	64

* The stock codes shown are for standard DPV models.

* For connection types see page 27.

DPV4



dp pumps



DPV4 Pump & Motor - Flow 4m³/hr


MODEL	STOCK CODE	PRICE DPV £	PRICE DPVF £	PRICE DPVS £	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPV4/2	2105840	1289.00	1289.00	1545.00	1545.00	12	0.37	22
DPV4/3	2105850	1329.00	1329.00	1613.00	1613.00	19	0.55	23
DPV4/4	2105860	1379.00	1379.00	1678.00	1678.00	25	0.55	23
DPV4/5	2105870	1542.00	1542.00	1861.00	1861.00	34	0.75	30
DPV4/6	2105880	1620.00	1620.00	1953.00	1953.00	41	1.1	30
DPV4/7	2105890	1691.00	1691.00	2046.00	2046.00	48	1.1	31
DPV4/8	2105900	1972.00	1972.00	2358.00	2358.00	55	1.5	37
DPV4/9	2105910	2018.00	2018.00	2414.00	2414.00	63	1.5	37
DPV4/10	2105920	2108.00	2108.00	2516.00	2516.00	70	1.5	38
DPV4/11	2105930	2204.00	2204.00	2649.00	2649.00	77	2.2	39
DPV4/12	2105940	2293.00	2293.00	2742.00	2742.00	84	2.2	40
DPV4/14	2105950	2389.00	2389.00	2878.00	2878.00	98	2.2	41
DPV4/16	2105960	2726.00	2726.00	3233.00	3233.00	116	3	52
DPVF4/18	2106100	-	2939.00	-	3415.00	131	3	53
DPVF4/20	2106110	-	3079.00	-	3570.00	145	3	53
DPVF4/22	2106120	-	3490.00	-	4068.00	160	4	61
DPVF4/24	2106130	-	3598.00	-	4250.00	174	4	62
DPVF4/26	2106140	-	3737.00	-	4442.00	189	4	62

* The stock codes shown are for standard DPV models.

* For connection types see page 27.

DPV6



dp pumps 

DPV6 Pump & Motor - Flow 6.3 m³/hr


MODEL	STOCK CODE	PRICE DPV £	PRICE DPVF £	PRICE DPVS £	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPV6/2	2106460	1270.00	1270.00	1573.00	1573.00	13	0.37	26
DPV6/3	2106470	1437.00	1437.00	1762.00	1762.00	21	0.75	31
DPV6/4	2106480	1499.00	1499.00	1848.00	1848.00	28	1.1	31
DPV6/5	2106490	1552.00	1552.00	1916.00	1916.00	35	1.1	32
DPV6/6	2106500	1842.00	1842.00	2232.00	2232.00	42	1.5	38
DPV6/7	2106510	1916.00	1916.00	2327.00	2327.00	49	1.5	38
DPV6/8	2106520	2034.00	2034.00	2473.00	2473.00	57	2.2	40
DPV6/9	2106530	2099.00	2099.00	2550.00	2550.00	64	2.2	41
DPV6/10	2106540	2191.00	2191.00	2667.00	2667.00	71	2.2	41
DPV6/11	2106550	2457.00	2457.00	2958.00	2958.00	81	3	51
DPV6/12	2106560	2501.00	2501.00	3035.00	3035.00	89	3	52
DPV6/14	2106570	2624.00	2624.00	3165.00	3165.00	104	3	53
DPV6/16	2106580	3041.00	3041.00	3653.00	3653.00	119	4	61
DPVF6/18	2106720	-	3289.00	-	3882.00	134	4	62
DPVF6/20	2106730	-	4265.00	-	4939.00	152	5.5	97
DPVF6/22	2106740	-	4371.00	-	5032.00	167	5.5	98
DPVF6/24	2106750	-	4473.00	-	5177.00	182	5.5	99
DPVF6/26	2106760	-	4649.00	-	5347.00	198	5.5	100

* The stock codes shown are for standard DPV models.

* For connection types see page 27.

DPV10



dp pumps 

DPV10 Pump & Motor - Flow 10 m³/hr

MODEL	STOCK CODE	PRICE DPV £	PRICE DPVF £	PRICE DPVS £	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPV10/1	2107080	1963.00	1963.00	2365.00	2365.00	8	0.75	36
DPV10/2	2107090	1994.00	1994.00	2405.00	2405.00	16	0.75	36
DPV10/3	2107100	2086.00	2086.00	2522.00	2522.00	24	1.1	39
DPV10/4	2107110	2349.00	2349.00	2813.00	2813.00	32	1.5	45
DPV10/5	2107120	2501.00	2501.00	2992.00	2992.00	40	2.2	48
DPV10/6	2107130	2572.00	2572.00	3088.00	3088.00	48	2.2	49
DPV10/7	2107140	2871.00	2871.00	3425.00	3425.00	58	3	58
DPV10/8	2107150	2952.00	2952.00	3533.00	3533.00	66	3	59
DPV10/9	2107160	3338.00	3338.00	3959.00	3959.00	75	4	65
DPV10/10	2107170	3483.00	3672.00	4129.00	4129.00	83	4	66
DPV10/11	2107180	3551.00	3737.00	4213.00	4213.00	92	4	62
DPV10/13	2107190	4571.00	4686.00	5319.00	5319.00	110	5.5	108
DPVF10/15	2107320	-	4726.00	-	5350.00	128	5.5	112
DPVF10/17	2107330	-	5072.00	-	5765.00	145	7.5	118
DPVF10/19	2107340	-	5258.00	-	5993.00	162	7.5	120
DPVF10/21	2107350	-	5391.00	-	6166.00	179	7.5	122

* The stock codes shown are for standard DPV models.

* For connection types see page 27.

DPV15



dp pumps



DPV15 Pump & Motor - Flow 18 m³/hr

MODEL	STOCK CODE	PRICE DPV £	PRICE DPVF £	PRICE DPVS £	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPV15/1	2107640	1994.00	2031.00	2365.00	2312.00	11.6	1.1	36
DPV15/2	2107650	2290.00	2334.00	2683.00	2633.00	23.6	2.2	46
DPV15/3	2107660	2590.00	2606.00	3017.00	2933.00	35.3	3	55
DPV15/4	2107670	2964.00	2977.00	3422.00	3341.00	46	4	65
DPV15/5	2107680	3870.00	3882.00	4374.00	4293.00	59.3	5.5	105
DPV15/6	2107690	3993.00	4009.00	4525.00	4445.00	71.3	7.5	105
DPV15/7	2107700	4191.00	4204.00	4748.00	4667.00	83.3	7.5	107
DPV15/8	2107710	5721.00	5746.00	6061.00	5999.00	95.3	11	186
DPV15/9	2107720	5928.00	5944.00	6590.00	6506.00	107.2	11	191
DPV15/10	2107730	6033.00	6046.00	6720.00	6639.00	119.5	11	193
DPVF15/11	2107840	-	6123.00	-	6849.00	131.7	11	194
DPVF15/13	2107850	-	6639.00	-	7409.00	156.2	15	224
DPVF15/15	2107860	-	6939.00	-	7902.00	180.7	15	227
DPVF15/17	2107870	-	-	-	-	189	18.5	244

* The stock codes shown are for standard DPV models.

* For connection types see page 27.

DPV25



dp pumps



DPV25 Pump & Motor - Flow 26.8 m³/hr


MODEL	STOCK CODE	PRICE DPVF £	STOCK CODE	PRICE DPVSF £		HEAD M	POWER kW	WEIGHT kg
DPVF25/1	2108120	3666.00	2108240	4176.00		15	2.2	70
DPVF25/2	2108130	4167.00	2108250	4751.00		31	4	85
DPVF25/3	2108140	5156.00	2108260	5829.00		47	5.5	114
DPVF25/4	2108150	5508.00	2108270	6250.00		63	7.5	121
DPVF25/5	2108160	7427.00	2108280	8250.00		79	11	203
DPVF25/6	2108170	7647.00	2108290	8568.00		95	11	206
DPVF25/7	2108180	8268.00	2108300	9288.00		110	15	218
DPVF25/8	2108190	8639.00	2108310	9721.00		126	15	231
DPVF25/9	2108200	8883.00	2108320	10018.00		142	18.5	233
DPVF25/10	2108210	9795.00	2108330	11016.00		157	18.5	253
DPVF25/11	2108220	10209.00	2108340	11560.00		173	22	256
DPVF25/12	2108230	11115.00	2108350	12534.00		189	22	294

* For connection types see page 27.

For single phase motors up to 2.2kW add 5% to three phase price.

DPV40



dp pumps 


DPV40 Pump & Motor - Flow 40 m³/hr

MODEL	STOCK CODE	PRICE DPVF £	STOCK CODE	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPVF40/1-1	2108420	4199.00	2108620	4651.00	20	3	93
DPVF40/1	2108430	4463.00	2108630	4912.00	26	4	98
DPVF40/2-2	2108440	5404.00	2108640	5875.00	40	5.5	129
DPVF40/2	2108450	5497.00	2108650	5960.00	50	7.5	133
DPVF40/3-2	2108460	7107.00	2108660	7705.00	65	11	214
DPVF40/3	2108470	7104.00	2108670	7700.00	78	11	214
DPVF40/4-2	2108480	7672.00	2108680	8353.00	90	15	230
DPVF40/4	2108490	7736.00	2108690	8413.00	101	15	230
DPVF40/5-2	2108500	8758.00	2108700	9532.00	115	18.5	261
DPVF40/5	2108510	8753.00	2108710	9525.00	125	18.5	261
DPVF40/6-2	2108520	8977.00	2108720	9894.00	139	22	264
DPVF40/6	2108530	9995.00	2108730	10831.00	150	22	300
DPVF40/7-2	2108540	10253.00	2108740	11162.00	165	30	308
DPVF40/7	2108550	11638.00	2108750	12565.00	176	30	374
DPVF40/8-2	2108560	12298.00	2108760	13323.00	190	30	398
DPVF40/8	2108570	12295.00	2108770	13316.00	200	30	398
DPVF40/9-2	2108580	12526.00	2108780	13617.00	215	30	402
DPVF40/9	2108590	12818.00	2108790	13905.00	225	37	406
DPVF40/10-2	2108600	13457.00	2108800	14623.00	240	37	410
DPVF40/10	2108610	13454.00	2108810	14615.00	250	37	410

* For connection types see page 27.

DPV60




dp pumps 

DPV60 Pump & Motor - Flow 60 m³/hr

MODEL	STOCK CODE	PRICE DPVF £	STOCK CODE	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPVF60/1-1	2108820	4966.00	2108990	5513.00	20	4	102
DPVF60/1	2108830	5707.00	2109000	6266.00	30	5.5	130
DPVF60/2-2	2108840	6003.00	2109010	6660.00	41	7.5	138
DPVF60/2	2108850	7414.00	2109020	8094.00	60	11	215
DPVF60/3-2	2108860	7967.00	2109030	8737.00	71	15	228
DPVF60/3	2108870	8611.00	2109040	9392.00	90	18.5	245
DPVF60/4-2	2108880	8970.00	2109050	9844.00	101	18.5	251
DPVF60/4	2108890	9610.00	2109060	10493.00	120	22	287
DPVF60/5-2	2108900	10037.00	2109070	11014.00	130	22	300
DPVF60/5	2108910	11320.00	2109080	12322.00	150	30	362
DPVF60/6-2	2108920	11960.00	2109090	12993.00	161	30	370
DPVF60/6	2108930	11957.00	2109100	12988.00	178	30	376
DPVF60/7-2	2108940	12517.00	2109110	13634.00	191	37	384
DPVF60/7	2108950	12514.00	2109120	13628.00	208	37	384
DPVF60/8-2	2108960	13189.00	2109130	14403.00	221	37	407
DPVF60/8	2108970	14775.00	2109140	16018.00	238	45	484
DPVF60/9-2	2108980	18344.00	2109150	19740.00	251	30	488

* For connection types see page 27.


DPV85



DPV85 Pump & Motor - Flow 85 m³/hr

MODEL	STOCK CODE	PRICE DPVF £	STOCK CODE	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPVF85/1-1	2109160	8426.00	2109330	8952.00	23	5.5	143
DPVF85/1	2109170	8463.00	2109340	8830.00	29	7.5	147
DPVF85/2-2	2109180	11085.00	2109350	11692.00	46	11	234
DPVF85/2-1	2109190	11322.00	2109360	11930.00	52	15	248
DPVF85/2	2109200	11262.00	2109370	11873.00	58	15	248
DPVF85/3-2	2109210	13281.00	2109380	14264.00	75	18.5	276
DPVF85/3-1	2109220	13899.00	2109390	14845.00	80	22	312
DPVF85/3	2109230	13836.00	2109400	14754.00	86	22	312
DPVF85/4-2	2109240	17977.00	2109410	18898.00	102	30	406
DPVF85/4-1	2109250	17930.00	2109420	18814.00	108	30	406
DPVF85/4	2109260	17884.00	2109430	18728.00	115	30	406
DPVF85/5-2	2109270	19431.00	2109440	21077.00	131	37	438
DPVF85/5-1	2109280	19384.00	2109450	20993.00	137	37	438
DPVF85/5	2109290	19336.00	2109460	20907.00	144	37	438
DPVF85/6-2	2109300	23252.00	2109470	24500.00	160	45	574
DPVF85/6-1	2109310	23206.00	2109480	24416.00	166	45	575
DPVF85/6	2109320	23158.00	2109490	24330.00	174	45	575

DPV125



DPV125 Pump & Motor - Flow 125 m³/hr

MODEL	STOCK CODE	PRICE DPVF £	STOCK CODE	PRICE DPVSF £	HEAD M	POWER kW	WEIGHT kg
DPVF125/1	2109500	14749.00	2109580	17880.00	39	15	284
DPVF125/2-2	2109510	17386.00	2109590	20586.00	51	18.5	311
DPVF125/2-1	2109520	18177.00	2109600	21377.00	64	22	349
DPVF125/2	2109530	19765.00	2109610	22966.00	76	30	445
DPVF125/3-2	2109540	21443.00	2109620	24899.00	89	30	462
DPVF125/3-1	2109550	21833.00	2109630	24723.00	102	37	482
DPVF125/3	2109560	21833.00	2109640	25288.00	114	37	482
DPVF125/4-2	2109570	25728.00	2109650	29435.00	128	45	555

Pumps are also available without motors if required. Prices available on request.

Connection types



V
Oval counter flange



VF
Round (collar) flange



VS
Oval counter flange
AISI 316 (S)



VS F
Round (collar) flange
AISI 316 (S)



Certified to NSF/ANSI 61-G & 372

CK



Self-Priming Pumps For Diesel

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂		Q	H
Single-Phase		£	Three-Phase		£	kW	HP	L/min	m
CKm 50	2109660	414.00	CK 50	2109700	451.00	0.37	0.50	5 ÷ 40	31 ÷ 5
CKm 50-BP	2109690	459.00	CK 50-BP	2109730	496.00	0.25	0.33	5 ÷ 40	20 ÷ 5

- Pump body: cast iron
- Impeller: brass
- Viton seals are standard on CK range

CKR



Self-Priming Pumps For Water/Diesel

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂		Q	H
Single-Phase		£	Three-Phase		£	kW	HP	L/min	m
CKRm 90	2109750	596.00	CKR 90	2109770	631.00	0.75	1	5 ÷ 50	55 ÷ 7

- Pump body: cast iron, with stainless steel insert
- Impeller: brass
- Motor bracket: patented n. IT1243605

CKR = special version with double anti-seize inserts

JSW



Self-Priming 'Jet' Pumps

MODEL	STOCK CODE	PRICE	PRICE 4+	MODEL	STOCK CODE	PRICE	PRICE 4+	POWER		PERFORMANCE	
								P ₂		Q	H
Single-Phase		£	£	Three-Phase		£	£	kW	HP	L/min	m
JSWm 3CH	2110080	783.00	736.00	JSW 3CH	2110180	803.00	755.00	1.1	1.5	10 ÷ 80	55 ÷ 30
JSWm 3BH	2110090	804.00	756.00	JSW 3BH	2110190	821.00	771.00	1.5	2	10 ÷ 80	68 ÷ 38
JSWm 3AH	2110100	895.00	841.00	JSW 3AH	2110200	874.00	822.00	2.2	3	10 ÷ 80	88 ÷ 52
JSWm 3CM	2110110	783.00	736.00	JSW 3CM	2110210	803.00	755.00	1.1	1.5	20 ÷ 120	46 ÷ 20
JSWm 3BM	2110120	804.00	756.00	JSW 3BM	2110220	821.00	771.00	1.5	2	20 ÷ 120	56 ÷ 30
JSWm 3AM	2110130	895.00	841.00	JSW 3AM	2110230	874.00	822.00	2.2	3	20 ÷ 120	70 ÷ 40
JSWm 3CL	2110140	783.00	736.00	JSW 3CL	2110240	803.00	755.00	1.1	1.5	30 ÷ 160	39 ÷ 14
JSWm 3BL	2110150	804.00	756.00	JSW 3BL	2110250	821.00	771.00	1.5	2	30 ÷ 160	46 ÷ 24
JSWm 3AL	2110160	895.00	841.00	JSW 3AL	2110260	874.00	822.00	2.2	3	30 ÷ 160	58 ÷ 36

- Pump body: cast iron
- Impeller: AISI 304 stainless steel

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.



FUTURE JET High Efficiency Self-Priming 'Jet' Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂		Q	H
Single-Phase		£	Three-Phase		£	kW	HP	L/min	m
FUTURE JETm 1C	2110390	338.00	FUTURE JET 1C	2110450	375.00	0.37	0.50	5 ÷ 90	30 ÷ 3.5
FUTURE JETm 1B	2110400	342.00	FUTURE JET 1B	2110460	379.00	0.48	0.65	5 ÷ 95	36 ÷ 5.5
FUTURE JETm 1A	2110410	357.00	FUTURE JET 1A	2110470	392.00	0.55	0.75	5 ÷ 100	44 ÷ 9
FUTURE JETm 2C	2110420	382.00	FUTURE JET 2C	2110480	399.00	0.75	1	5 ÷ 120	52 ÷ 10
FUTURE JETm 2A	2110440	432.00	FUTURE JET 2A	2110500	449.00	0.9	1.25	5 ÷ 120	56 ÷ 13.7
FUTURE JETm 2AH	2112740	452.00	FUTURE JET 2AH	2112750	466.00	0.9	1.25	5 ÷ 95	66 ÷ 15

- High hydraulic efficiency
- Energy savings up to 50%
- Reduction of turbulence for a very stable operation
- A better power/flow ratio
- Pump body: cast iron
- Impeller: **AISI 304 stainless steel**
- Single Phase **IE2**, Three Phase **IE3**



FUTURE JET-ST - High Efficiency Self-Priming 'Jet' Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂		Q	H
Single-Phase		£	Three-Phase		£	kW	HP	L/min	m
FUTURE JETm 1C - ST	2110270	360.00	FUTURE JET 1C - ST	2110330	395.00	0.37	0.50	5 ÷ 90	30 ÷ 3.5
FUTURE JETm 1B - ST	2110280	363.00	FUTURE JET 1B - ST	2110340	399.00	0.48	0.65	5 ÷ 95	36 ÷ 5.5
FUTURE JETm 1A - ST	2110290	379.00	FUTURE JET 1A - ST	2110350	415.00	0.55	0.75	5 ÷ 100	44 ÷ 9
FUTURE JETm 2C - ST	2110300	432.00	FUTURE JET 2C - ST	2110360	449.00	0.75	1	5 ÷ 120	52 ÷ 10
FUTURE JETm 2A - ST	2110320	472.00	FUTURE JET 2A - ST	2110380	489.00	1.1	1.5	5 ÷ 120	56 ÷ 13.7

- High hydraulic efficiency
- Energy savings up to 50%
- Reduction of turbulence for a very stable operation
- A better power/flow ratio
- Pump body: **AISI 304 stainless steel**
- Impeller: **AISI 304 stainless steel**
- Single Phase **IE2**, Three Phase **IE3**

SPRINKLER



SPRINKLER with Technopolymer Impeller

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂		Q	H
Single-Phase		£	Three-Phase		£	kW	HP	L/min	m
SKRm 1.1	2112760	736.00	SKR 1.1	2112770	741.00	1.1	1.5	50 ÷ 250	24 ÷ 11
SKRm 1.5	2110510	781.00	SKR 1.5	2110520	760.00	1.5	2	50 ÷ 300	25 ÷ 15

- Pump body: cast iron
- Impeller: Noryl
- Three phase pumps are equipped with high efficiency motor class IE3 (IEC 60034-30-1)

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

CAB



Self-Priming 'Jet' Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂ kW	HP	Q l/min	H m
Single-Phase		£	Three-Phase		£				
CAB 150/00	2110530	593.00	CAB 150/00	2110560	621.00	1.1	1.5	20 ÷ 90	56.5 ÷ 32
CAB 200/00	2110540	640.00	CAB 200/00	2110570	654.00	1.65	2.2	20 ÷ 110	59.5 ÷ 34
CAB 300/00	2110550	738.00	CAB 300/00	2110580	746.00	2.2	3.0	20 ÷ 140	62 ÷ 32

- Pump body: cast iron
- Impeller: Noryl
- Liquid Temperature: 0-50°C
- Protection Degree: IP44

PLURIJET



Multi-Stage Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		PERFORMANCE	
						P ₂ kW	HP	Q l/min	H m
Single-Phase		£	Three-Phase		£				
PLURIJETm 3/80	2110590	449.00	PLURIJET 3/80	2110630	484.00	0.48	0.65	5 ÷ 80	38 ÷ 5
PLURIJETm 4/80	2110600	487.00	PLURIJET 4/80	2110640	522.00	0.55	0.75	5 ÷ 80	50 ÷ 10
PLURIJETm 3/100	2110610	487.00	PLURIJET 3/100	2110650	522.00	0.55	0.75	5 ÷ 120	37 ÷ 5
PLURIJETm 4/100	2110620	561.00	PLURIJET 4/100	2110660	578.00	0.75	1	5 ÷ 130	50 ÷ 5

- Pump body: AISI 304 stainless steel

PLURIJET



Multi-Stage Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		▲	PERFORMANCE	
						P ₂ kW	HP		Q l/min	H m
Single-Phase		£	Three-Phase		£					
PLURIJETm 3/90	2112240	568.00	PLURIJET 3/90	2112300	606.00	0.48	0.65	IE3	5 ÷ 80	38 ÷ 5
PLURIJETm 4/90	2112250	613.00	PLURIJET 4/90	2112310	652.00	0.55	0.75		5 ÷ 80	50 ÷ 10
PLURIJETm 5/90	2110670	1306.00	PLURIJET 5/90	2110750	1327.00	1.1	1.5		5 ÷ 90	78 ÷ 38
PLURIJETm 6/90	2110680	1420.00	PLURIJET 6/90	2110760	1420.00	1.5	2		5 ÷ 90	94 ÷ 45
PLURIJETm 3/120	2112260	613.00	PLURIJET 3/120	2112320	652.00	0.55	0.75		5 ÷ 120	37 ÷ 5
PLURIJETm 4/120	2112270	680.00	PLURIJET 4/120	2112330	698.00	0.75	1		5 ÷ 120	50 ÷ 5
PLURIJETm 3/130	2110690	1306.00	PLURIJET 3/130	2110770	1327.00	1.1	1.5		5 ÷ 130	49 ÷ 24
PLURIJETm 4/130	2110700	1420.00	PLURIJET 4/130	2110780	1420.00	1.5	2		5 ÷ 130	65 ÷ 31
PLURIJETm 5/130	2110710	1490.00	PLURIJET 5/130	2110790	1490.00	1.8	2.5		5 ÷ 130	81 ÷ 39
PLURIJETm 6/130	2112280	1586.00	PLURIJET 6/130	2110800	1586.00	2.2	3		5 ÷ 130	97 ÷ 46
PLURIJETm 3/200	2110720	1306.00	PLURIJET 3/200	2110810	1327.00	1.1	1.5		20 ÷ 200	43 ÷ 13
PLURIJETm 4/200	2110730	1420.00	PLURIJET 4/200	2110820	1420.00	1.5	2		20 ÷ 200	57 ÷ 17
PLURIJETm 5/200	2110740	1490.00	PLURIJET 5/200	2110830	1490.00	1.8	2.5		20 ÷ 200	71 ÷ 22
PLURIJETm 6/200	2112290	1586.00	PLURIJET 6/200	2110840	1586.00	2.2	3		20 ÷ 200	85 ÷ 26

- Pump body: AISI 304 stainless steel
- Impeller: AISI 304 stainless steel

110V available on most models - add 20% to above prices. 60Hz available to order - add 20%
 Performance data is approximate for guidance only. For critical applications check with latest Catalogue or phone for duty confirmation.

PRIMA



Swimming Pool Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		1~	3~	PERFORMANCE	
						P ₂				Q	H
Single-Phase		£	Three-Phase		£	kW	HP			l/min	m
PRIMA 33m	2112780	694.00	PRIMA 33	2112830	733.00	0.25	0.33	IE2	IE3	20 ÷ 190	10.3 ÷ 4
PRIMA 50m	2112790	705.00	PRIMA 50	2112840	743.00	0.37	0.50			20 ÷ 220	11.6 ÷ 4
PRIMA 75m	2112800	727.00	PRIMA 75	2112850	764.00	0.55	0.75			20 ÷ 260	13.1 ÷ 4
PRIMA 100m	2112810	803.00	PRIMA 100	2112860	820.00	0.75	1			20 ÷ 290	15 ÷ 4
PRIMA 150m	2112820	915.00	PRIMA 150	2112870	932.00	1.1	1.5			20 ÷ 310	15.8 ÷ 4

- Pump body: Glass fibre reinforced polypropylene, Impeller: Noryl
- Self-Priming Electric Pumps with built-in pre-filter in the pump body. Recommended for recirculation of water
- For pools up to **70m³**
- Supplied with 1½" GAS threaded ISO 228/1 connection fittings and AISI 304 screws

VILLABELLA



Swimming Pool Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		1~	3~	PERFORMANCE	
						P ₂				Q	H
Single-Phase		£	Three-Phase		£	kW	HP			l/min	m
VILLABELLA 50m	2112880	747.00	VILLABELLA 50	2112940	799.00	0.37	0.50	IE2	IE3	50 ÷ 300	14 ÷ 4
VILLABELLA 75m	2112890	789.00	VILLABELLA 75	2112950	845.00	0.55	0.75			50 ÷ 330	15.5 ÷ 4
VILLABELLA 100m	2112900	869.00	VILLABELLA 100	2112960	929.00	0.75	1			50 ÷ 400	16.4 ÷ 4
VILLABELLA 150m	2112910	946.00	VILLABELLA 150	2112970	946.00	1.1	1.5			50 ÷ 450	18.9 ÷ 4
VILLABELLA 200m	2112920	1111.00	VILLABELLA 200	2112980	1111.00	1.5	2			50 ÷ 570	19.9 ÷ 4
VILLABELLA 300m	2112930	1304.00	VILLABELLA 300	2112990	1206.00	2.2	3			50 ÷ 600	20.9 ÷ 4

- Pump body: Glass fibre reinforced polypropylene, Impeller: Noryl
- Self-Priming Electric Pumps with built-in pre-filter in the pump body. Recommended for recirculation of water
- For pools up to **135m³**
- Supplied with 2" GAS threaded ISO 228/1 connection fittings and AISI 304 screws

MAGNIFICA



Swimming Pool Pumps

MODEL	STOCK CODE	PRICE	MODEL	STOCK CODE	PRICE	POWER		1~	3~	PERFORMANCE	
						P ₂				Q	H
Single-Phase		£	Three-Phase		£	kW	HP			l/min	m
MAGNIFICA 1m	2110850	803.00	MAGNIFICA 1	2110900	841.00	0.55	0.75	IE2	IE3	100 ÷ 350	13.5 ÷ 4
MAGNIFICA 2m	2110860	806.00	MAGNIFICA 2	2110910	845.00	0.75	1			100 ÷ 400	16 ÷ 5
MAGNIFICA 3m	2110870	1055.00	MAGNIFICA 3	2110920	1055.00	1.1	1.5			100 ÷ 525	15 ÷ 6
MAGNIFICA 4m	2110880	1101.00	MAGNIFICA 4	2110930	1101.00	1.5	2			100 ÷ 600	17.3 ÷ 7
MAGNIFICA 5m	2110890	1174.00	MAGNIFICA 5	2110940	1174.00	2.2	3			100 ÷ 700	22.2 ÷ 8

- Pump body: Glass fibre reinforced polypropylene, Impeller: Noryl
- Self-Priming Electric Pumps with built-in pre-filter in the pump body. Recommended for recirculation of water
- For pools up to **180m³**
- Supplied with 2" GAS threaded ISO 228/1 connection fittings and AISI 304 screws

MAXIMA



Swimming Pool Pumps

MODEL	STOCK CODE	PRICE	POWER		3~	PERFORMANCE	
			P ₂			Q	H
Three-Phase		£	kW	HP		l/min	m
MAXIMA 4/250	2113000	3172.00	1.8	2.5	IE3	200 ÷ 1000	11.5 ÷ 4
MAXIMA 4/300	2113010	3207.00	2.2	3		200 ÷ 1100	12 ÷ 4
MAXIMA 4/400	2113020	3242.00	3	4		200 ÷ 1250	13.5 ÷ 4
MAXIMA 4/550	2113030	3663.00	4	5.5		200 ÷ 2100	12.5 ÷ 5
MAXIMA 4/750	2113040	4925.00	5.5	7.5		200 ÷ 2300	14.5 ÷ 6
MAXIMA 4/1000	2113050	5275.00	7.5	10		200 ÷ 2400	15.5 ÷ 7

- Pump body: Glass fibre reinforced polypropylene, Impeller: Noryl
- Self-Priming Electric Pumps with built-in pre-filter in the pump body. Recommended for recirculation of water
- For pools up to **1080m³**
- Supplied with 2" GAS threaded ISO 228/1 connection fittings and AISI 304 screws